Part (2) - INDUSTRIAL MINERALS AND ROCKS (25 M)

Answer three questions only of the following (25M)

Q1 (5 M)

- i- Identify and explain various minerals utilized in construction and chemical applications.
- ii- Discuss the environmental applications of industrial minerals.

Q2 (5 M)

- Examine the uses of the following industrial minerals: galena, gypsum, graphite, dolomite,
- ii- Discuss the industrial applications of kaolin deposits?

Q3 (5 M)

- What are the uses of industrial minerals in the plastics and polymers sector?
- ii. Explain the applications of industrial minerals used in the paint and ceramics industry?

Q4 (5 M)

- i. Explain the types and uses of green and critical minerals?
- ii. Discuss the uses of industrial minerals in the adhesives and sealants sector?

Answer (T) for true sentences or (F) for false sentences: (One mark each)

- 1. Luster refers to the way light is reflected off the surface of a mineral.
- 2. Perlite is water-bearing natural glass that contains silica, alumina, iron, titanium, calcium, magnesium, sodium and potassium oxides.
- 3. Barite-based concrete can reduce lead shielding at nuclear facilities.
- 5. The streak plate has a hardness of glass, so minerals with a Mohs Hardness >7 will scratch the 4. Drilling mud uses feldspar for density control.
- 6. Minerals are classified by their chemical composition and internal crystal structure
- 7. Graphite is an excellent electrical insulator.
- 8. Ferromagnesian minerals include muscovite, feldspar, and quartz. 9. For some minerals, color is directly related to one of the major elements and can be characteristic and serve as a means of identification.
- 10. Streak can be useful for identifying metallic and earthy minerals.

تمت الأسئلة و بالتوفيق أ.د. عوض عبدالخالق عمران أ.د. جلال حامد الحباك


20

Q2 - Put (T) for true sentence or (F) for false sentence: (5 Marks)

- 1- The key requirement for initiating an exploration program for minerals is creating detailed geological maps ().
- 2- Remote sensing relies on measuring x-rays to determine the composition of mineral ores ().
- 3- Active geophysical techniques are used to measure changes in gravity and magnetism in a specific area for the purpose of mineral exploration ().
- 4- Geochemical prospecting is used to determine the chemical compositions of minerals found underground ().
- 5- GIS methods are used only for military purposes and are seldom involved in mineral exploration ().

Q3- Answer THREE ONLY of the following FOUR questions: (5 Marks for each question)

- 1- a) Clarify the main three items that geochemical prospecting are based on?
 - b) Select three of geochemical methods and explain how are used in mineral prospecting processes and give examples of ore deposits located by each method?
- 2- a) Illustrate the role of gravity method in detecting mineral ores directly and indirectly indicating the targeting ores in each case.
 - b) What are the different instruments necessary for remote sensing techniques and show how can be applied for mineral exploration?
- 3- a) What are the measured parameter, units, tools and main anomaly causes in radioactivity method of prospecting for mineral deposits?
 - b) What are the instruments necessary for modern photogeological exploration? Explain the different approaches used for extracting geological information from aerial photographs in mineral exploration.
- 4- a) What are the well logging methods applied for mineral exploration? List the type of mineral ores that can be located using each method?
 - b) Explain how radioactive mineral deposits can be recognized in the direct application of radioactivity method?



Assiut University Faculty of Science Geology Department

Credit Hour System- Second Semester - Final Examination Fourth Level (2024-2025) Mineral Prospecting and Industrial Minerals and Rocks (G435)



Total 50 marks

الأسئلة في ثلاث صفحات

Allowed Time: 2 hours

Part (1) - MINERAL PROSPECTING (25 Marks)

Answer the following questions:

Q1- Select the correct answer: (5 Marks)

- 1- Which instruments are mentioned as being used for mapping at scales of 1:25,000 and 1:10,000 in prospecting purposes?
 - A. Aerial photographs and satellite images.
 - B. GPS survey instruments and theodolite.
 - C. Drill holes and mine workings.
 - D. Rock/soil sampling tools.
- 2- What is an indicator of the likely existence of mineral deposits at depth?
 - A. Ancient mining techniques.
 - B. Shear zones.
 - C. Surface weathering of metallic deposits.
 - D. Lineament patterns.
- 3- Which factor is NOT mentioned as important for the planning of a prospecting project?
 - A. Selection of Professional Geologist Leadership.
 - B. Selection of Area.
 - C. The Prospecting processes.
 - D. Budget allocation.
- 4- What is the simplest method for conducting a topographic survey in mineral prospecting?
 - A. Using electronic total stations.
 - B. Using a tape and compass.
 - C. Employing aerial photography.
 - D. Utilizing GPS technology.
- 5- What is essential for the long- and short-term purposes of any type of mineral exploration project?
 - A. Chemical analytical laboratory.
 - B. Accurate topographic map.
 - C. Field operation techniques.
 - D. Geological mapping.

بقية الأسئلة في الصفحة الثانية

-1-



- 7. Gangues are defined as waste materials associated with ores.
- 8. Many famous ore bodies are associated with extrusive igneous rocks.
- 9. Tin and tungsten deposits are associated with mafic igneous rocks.
- 10. Metallic minerals are those from which metals such as Cu, Au, Fe, & Zn can be recovered by smelting.
- 11. Galena, chalcopyrite and sphalerite are ore minerals from which zinc, lead, and copper can be extracted, respectively.
- 12. Mineral deposits are any volume of rock containing an enrichment of one or more minerals.
- 13. Oil Shale is the most abundant fossil fuel.
- 14. Metallogenic Provinces are limited regions of the crust within which mineral deposits occur in unusually large numbers.
- 15. Porphyry Cu, Mo deposits are commonly associated with plutonic and ultramafic igneous rocks.
- 16. Most ore minerals of the scarce metals are oxides.
- 17. The type of orebody has a big influence on the choice of mining method
- 18. Nonrenewable resources, if replenished through natural processes, require millions of years for regeneration rather than the annual cycles typical of renewable resources.
- 19. A significant nickel deposit, among the largest ever discovered, located in New Caledonia, was formed through sedimentary processes.
- 20. A reserve is defined as a resource that can be extracted profitably at current market conditions and levels of technology

إنتهت الأسئلة وبالتوفيق

Assiut University Faculty of Science Geology Department

Credit hour system – 2nd semester - Final Examination Geology and Geophysics Programs Economic Geology (G 434)

Fourth Level

Allowed time 2 hour

ملحوظة: الامتحان في صفحتين (M 50) الجزء التحريري

Answer three only of the following questions (30 M) Q1(10 M)

- a. Discuss the importance and process of gossan formation and supergene enrichment.
- b. Compare between early and late magmatic deposits with examples.

Q2 (10 M)

- a. Mention the various types of hydrothermal mineral deposits.
- b. Differentiate between syngenetic and epigenetic mineral deposits, as well as the tenor and tonnage of a mineral deposit.

Q3 (10 M)

- Analyze the differences between metamorphic and metasomatic mineral deposits, providing examples for each.
- b. Compare between placers deposits and residual mineral deposits with examples.

Q4 (10 M)

- Discuss the formation of massive sulfide deposits and copper-nickel-sulfide association.
- b. Discuss the characteristics and formation processes of banded iron formations and ironstone deposits.

Answer (T) for True sentences Or (F) for False sentences: (One mark each)

- 1. Ore type often changed from a magnetite to hematite (martite) during weathering.
- 2. Most industrial minerals are of low volume.
- 3. Mineralogy often changes within an orebody and hence during the life of a mine.
- 4. Syngenetic Cu-Ni sulfides are associated with granitic rocks.
- 5. Gypsum, phosphate and halite are metallic mineral deposits.
- 6. Sulfide-rich liquid found in the silicate magma is homogeneous at lower and immiscible at high temperatures.

- 7. Gangues are defined as waste materials associated with ores.
- 8. Many famous ore bodies are associated with extrusive igneous rocks.
- 9. Tin and tungsten deposits are associated with mafic igneous rocks.
- 10. Metallic minerals are those from which metals such as Cu, Au, Fe, & Zn can be recovered by smelting.
- 11. Galena, chalcopyrite and sphalerite are ore minerals from which zinc, lead, and copper can be extracted, respectively.
- 12. Mineral deposits are any volume of rock containing an enrichment of one or more minerals.
- 13. Oil Shale is the most abundant fossil fuel.
- 14. Metallogenic Provinces are limited regions of the crust within which mineral deposits occur in unusually large numbers.
- 15. Porphyry Cu, Mo deposits are commonly associated with plutonic and ultramafic igneous rocks.
- 16. Most ore minerals of the scarce metals are oxides.
- 17. The type of orebody has a big influence on the choice of mining method
- 18. Nonrenewable resources, if replenished through natural processes, require millions of years for regeneration rather than the annual cycles typical of renewable resources.
- 19. A significant nickel deposit, among the largest ever discovered, located in New Caledonia, was formed through sedimentary processes.
- 20. A reserve is defined as a resource that can be extracted profitably at current market conditions and levels of technology

إنتهت الأسئلة وبالتوفيق

Assiut University Faculty of Science Geology Department

Credit hour system – 2nd semester - Final Examination Geology and Geophysics Programs Economic Geology (G 434)

Fourth Level

Allowed time 2 hour

ملحوظة: الامتحان في صفحتين (M 50 الجزء التحريري

Answer three only of the following questions (30 M) $\underline{O1(10 \text{ M})}$

- a. Discuss the importance and process of gossan formation and supergene enrichment.
- b. Compare between early and late magmatic deposits with examples.

Q2 (10 M)

- a. Mention the various types of hydrothermal mineral deposits.
- b. Differentiate between syngenetic and epigenetic mineral deposits, as well as the tenor and tonnage of a mineral deposit.

Q3 (10 M)

- a. Analyze the differences between metamorphic and metasomatic mineral deposits, providing examples for each.
- b. Compare between placers deposits and residual mineral deposits with examples.

Q4 (10 M)

- Discuss the formation of massive sulfide deposits and copper-nickel-sulfide association.
- Discuss the characteristics and formation processes of banded iron formations and ironstone deposits.

Answer (T) for True sentences Or (F) for False sentences: (One mark each)

- 1. Ore type often changed from a magnetite to hematite (martite) during weathering.
- 2. Most industrial minerals are of low volume.
- 3. Mineralogy often changes within an orebody and hence during the life of a mine.
- 4. Syngenetic Cu-Ni sulfides are associated with granitic rocks.
- 5. Gypsum, phosphate and halite are metallic mineral deposits.
- Sulfide-rich liquid found in the silicate magma is homogeneous at lower and immiscible at high temperatures.

12

ANSWER ONLY THREE OF THE FOLLOWING QUESTIONS:

III- Give reasons for each of the following:

(10 marks)

- A) The SPOT satellite's scenes are characterized by the possibility of being displayed and analyzed as a three-dimensional model.
- B) Thermal remote sensing is a type of passive sensing.

IV- Compare between the following:

(10 marks)

- A Remote sensing data collected by the Second generation and the Third generation of Landsat Earth Observation satellites.
- B- Real Aperture and Synthetic aperture Radar imagery.
- V- The electromagnetic spectrum is divided into many bands that are used in remote sensing techniques. Mention four of these bands and how to collect data for each of them.

(10 marks)

- VI- Give a brief account on each of the following:
 - A) Spectral and spatial resolution of a remote sensing sensor.
 - B) Cross-track and Along track scanners.

(10 marks)

GOOD LUCK!

Prof. Dr. Moustafa Youssef





امتحان طلاب المستوى الرابع (ساعات معتمدة) مقرر (٤٤٥ ع) جيولوجيا تصويرية واستشعار عن بعد

Photo-geology and Remote Sensing الدرجة الكلية (٥٠ درجة) الزمن: ساعتان

مايو ١٠٢٥

		ANSWER THE FOLLOWING TWO QUESTIONS:
I-	Co	mplete the following sentences by appropriate word(s), then
	1-	rewrite the complete sentence in your answer paper: (10 marks) Remote sensing systems that measure naturally available energy are called
	2-	Transmittance and absorption during interactions between electromagnetic radiation and matter are called
	3-	The sensors in the second generation of Landsat satellites sense electromagnetic
		radiation from the Earth's surface inbands
	4-	The focal length of the photographic lens is shown on aerial photographs so that it can
		be used to calculate
	5-	Satellites that see the same part of the Earth's surface at all times have
		orbits.
	6-	In the electromagnetic spectrum; the Thermal infrared region extends
		fromto
	7-	Sensors collect information from different wavelengths and store each in an
		independent channel, referred to as
	8-	During the interactions between electromagnetic radiation and matter, emission,
		scattering, and reflection are called
	9-	Electromagnetic radiation waves are classified according to their lengths into

.....starting from very short rays to long waves.

(10 marks)

- II -Write short notes on each of the following: a- Sun synchronous satellite orbits.
 - b- Microwave remote sensing.

باقى الأسئلة في الصفحة التالية

 $10 - \quad Landsat \ satellites \ cover \ a \ strip \ of \ land \ below \ orbit \ with \ a \ width \ of \$

ii- Discriminate between the Cenomanian rock units at Sinai and Bahariya Oasis.

III- A- Write the geologic age of the following rock units (formations) and discuss the stratigraphic relationship between every two formations. (5 Marks)

i- Wadi Malik/Lakia

ii- Safa/Massajid

iii- Bahrien/Wadi Natrun

iv- Six Hills/Abu Ballas

v- Temsah/Wata

B- Write short notes on the main characters and the lithological composition of the ophiolites occurring in the Eastern Desert of Egypt. (5 Marks)

IV-Discuss briefly the tectonic history of the Egyptian basement within the light of the geosynclinal concept. (10 Marks)

V- Correlate briefly between the lithologic classifications of the Egyptian basement within the light of the old geosynclinal and plate tectonic concepts. (10 Marks)

انتهت الأسئلة مع أطيب الأمنيات بالتوفيق

أ.د/ ناجح عبدالرحمن عبيدالله

أ.د/ على عبدالقادر خضير

بِيْدِ مِاللَّهِ ٱلرَّحْمَزِ ٱلرَّحِيمِ

جامعة أسيوط كلية العلوم - قسم الجيولوجيا

امتحان المستوى الرابع بكلية العلوم شعبة الجيولوجيا والكيمياء

المادة: خريطة مصر الجيولوجية (٤١٠ ج) (Geologic map of Egypt (410 G) الدرجة: ٥٠ درجة

الزمن: ساعتان

الفصل الدراسي الثاني 2024/2025

الامتحان يتكون من صفحتين Final Examination (50 Ma

rmai	L.	Xa.	Ш	па	u)n	(2	U	IVI	ark	S
correct onessue	A	D	0	0.10	D	11	^	7	*	1	-	37

I-	Shade the correct answer A, B, C, or D (10 Marks, 1 mark each)
	Chronostratigraphic units consist of
	The arrangement of sedimentary rocks in separate layers is called A- metamorphism B- stratification C- precipitation D- solidification All rocks have
	A- lithostrtaigraphic B- magnetostratigraphic C- chronostrtaigraphic D- all of these
	Which of the following terms is an example of chronostratigraphic units? A-age B- stage C- bed D- epoch Disconformity is inferred mainly by
7-	The correct stratigraphic order of the Upper Cretaceous-Lower Plaeogene rock units at Gebel Duwi region is A- Dakhla, Tarawan, Esna C- Esna, Tarawan, Dakhla D- Dakhla, Esna, Tarawan
	The age of the Garra Formation is
10-	The Paleogene does not include the
	A- older B- younger & equivalent D- conformable A- Compare and correlate in a geologic time table the Eocene rock units at both the Sinai and

- Fayoum regions and write the important of each one if present (7 Marks)
 - B- Write on <u>only</u> one of the following: (3 Marks) i- The Oligocene rocks in Egypt.



الامتحان التحريري النهائي لطلاب المستوى الرابع بكلية العلوم (شعبة الجيولوجيا) (شعبة الجيولوجيا) المقرر: بيئة الأحياء القديمة وطباقية حياتية (۱۱۶ ج) المقرر: بيئة الأحياء القديمة وطباقية حياتية (۱۱۶ ج) المقرد: بيئة الأحياء القديمة وطباقية حياتية (۱۲۰۲۵ م المقرد وينيو - العام الجامعي ۲۰۲۵ - ۲۰۲۵ م الدرجة الكلية للأمتحان: • درجة



Q1: Shade (T) for true statements or (F) for false statements	(10 marks; 1 mark each)
1- Fossils can be applied in modern ecology investigation.2- A biocoenosis refers to organisms that fossilized together in a p	articular anxironment
3- Terrestrial plants can be used as salinity indicators.	articular environment.
4- Total destruction can occur in many organisms during transport	
5- Preservation of fossils can be site specific.	
6- Living organisms can be used to reconstruct ancient environme living relatives.	
7- Dating and correlation of sedimentary rocks is called biostratign	
8- The "Concurrent Range Zone" is characterized by overlapping	
9- All the animals which move in water or air must be streamlined 10- The term "ecosystem" refers to living organisms and their	
variables.	re ontrolling environmental
22: Shade the correct answer; A, B, C or D	(5 marks; 1 mark each)
1- A given fossil has a depositional history, which is termed A- degradation B- diagenesis C- biostratinomy	D- necrology
2- In dinoflagellates, selective preservation result from	
A- increased nitrate concentration B- increased bottom oxy	
C- reduced salinities D- increased chlorophyll-a co	
3- Organisms that contribute to the fossil record must	
A- have soft parts B- be robust C- be fauna D- b	e flora
4- Evolutionary changes in living organisms are	
5- Acropora palmata live in shallow restricted, turbulent water,	
A- continental B- deep marine C- modern open reef D-	
3: Answer the following question:	(15 marks; 5 marks each)
- Write in detail on <u>three only</u> of the following: A- Taphonomic processes B- Abundance biozones	
C- Geographic dispersal of organisms D- Taxonomic uniform	ormitarianism
	0 marks; 5 marks each)
A- Paleontologic clocks B- Simplicity as an operational base in pa	aleoecology
C- Bioerosion and dissolution	
5: Write briefly on: (1	0 marks; 5 marks each)
A- Species through time B- Database in paleoecology reconstru	ction
إنتهت الأسئلة مع أطيب الأمنيات بالتوفيق	
xaminer:	
Prof. Dr. Magdy S. Mahmoud (Geology Department)	

13

C). Matching S	Sentences
----------------	-----------

(Z marks)

Triateming Deliterates	1=
6.Marine Flooding Surface	Deposited by a relatively slow rise in sea level and the filling of incised valleys.
7.Incised Valley Fill	b. Marine beds immediately overlying non-marine beds, may contain clasts from underlying unit, may have mixed faunal assemblages
8.Transgressive Lags	c. A surface that separates younger from older strata, across which there is evidence of an abrupt increase in water depth
9.Type 1 Sequence is bounded	d. below by a type 1 sequence and above by a type 1 or type 2 sequence boundary
10. Transgressive Systems Tract	e. The lower-most systems tract associated with a type 2 sequence boundary. one or more weakly progradational to aggradational sequence sets
11. Type 2 Sequence is bounded	f. below by a type 2 sequence boundary and above by a type 1 or type 2 sequence boundary
12. Shelf Margin Systems Tract	g. The middle systems tract of both type 1 and type 2 sequences. One or more retrogradational parasequence sets.

<u>D). Is it True or False</u>

13- The local tectonics and the rates of sedimentation have little or no effect on worldwide sea level changes. True or False?

14- The rate of influx of terrigenous clastic sediments and the change in relative sea level exert controls on sedimentation patterns in coastal areas and on the continental shelf.

True or False?

15-Water depth equal relative sea level (RSL) minus accumulated sediment -GOOD LUCK--

True or False?

Prof. Dr. Ahmed-Reda El Younsy

(23- May, 2025)

- 11- Sedimentary basins are regions of the Earth's crust occurred by
- a. compaction b. lithification
- b. lithification c. subsidence
- d. uplift

- 12- Oceanic basin is formed due to
 - a. convergence
- b. divergence
- c. strike-slip
- d. all of them
- 13. Which of the following compounds found in the sedimentary basins plays an important role in the production of natural gas and petroleum
 - a. Hydrocarbons
- b. Graphite
- c. Copper
- d. Silicon

- III- True or False? Circle the correct answer
- (5 marks; 1 each one)
- 14. embayments are basins that are not completely closed structurally, but which open out into a deeper area.

 True or False?
- 15. the axis of a basin is a line connecting the lowest structural points of the basin, as in a synclinal axis.
 <u>True or False?</u>
- 16. a geosyncline is large trough like or basin like down warping of the crust in which thick sedimentary and volcanic rocks accumulated.
 True or False?
- 17. sedimentary basins are separated from another by raised linear areas termed arches, palaeohighs, schwelle, or positive areas

 True or False?
- 18. Tectonics is needed to make sedimentary basins, but the record of the basin itself is sedimentary.

 True or False?


PART-II: Sequence Stratigraphy (25 degree)

Answer the following questions (Illustrate your answer by diagrams):

A). Write shortly on THREE ONLY of the following:

(9 marks)

- 1. Define and distinguish between the concepts of transgressions vs. regressions.
- 2. Describe 1st, 2nd, 3rd, 4th and 5th order relative sea level cycles in terms of the time periods over which they operate and the possible causative mechanisms.
- 3. What is a parasequence and how are the bounding surfaces recognized?
- 4. Explain how regression might occur during relative sea-level rise.
- B). 5. Discuss the relationship between platform break plane and downlap plane that can be used to understand the depth evolution of a basin, and recognize the different situations given in the following figure below at squares 1, 2,3,4,5 and 6. (6 marks)









Fourth Level Examination in

Sedimentary Basins & Sequence stratigraphy (G420)

For Geology and Geophysics students

Time: Two Hours

(50 degree

23-May-2025

PART-I: Sedimentary Basins (25 degree)

I- Answer TWO ONLY of the following question:

(10 marks; 5 each one)

- 1. Provide a definition of a sedimentary basin and a basic description of how they form.
- 2. How are sedimentary basins classified?
- 3. Describe the concept of an intracontinental basin and how they differ from marginal marine basins.

II- Choose the correct answer

(10 marks; 1 each one)

- 4-Sedimentary basins can be classified according to type of sediments into
 - a. siliciclastic-dominated basin

b. carbonate dominated basin

c. mixed carbonate-siliciclastic basin

d. all of them

- 5- Trench basin is related to
 - a. convergence b. divergence
- c. pull- apart

d. all of them

- 6. Rift basin is.
 - a. a normal fault bounded basin that develops during extension of continental lithosphere.
 - b. elongate depression overlying a place where the lithosphere has ruptured in extension.
 - c. none of the above.
 - d. all of the above.

7. Aulacogens are

- a. the second, failed arm of a three-armed rift, two of whose arms continued to open to form an ocean basin.
- b. aulacogens start at the passive continental margin.
- c. extending from the margins toward the open sea.
- d. both (a) and (c).
- 8. Basins are separated from another by.....
 - a. raised linear areas.
- b. fault scarps.
- c. dépression.

- d. plane surface areas.
- e. both (a) and (d).
- f. all the above.
- 9. Primary aspects of classification and evolution of sedimentary basins are......
 - a. whether a basin is formed on an oceanic crust or on a continental crust.
 - b. proximity of the basin to a plate boundary.
 - c. the nature of the nearest plate boundary.
 - d. all the above.

10. The tectonic settings of basin formation are

- a. weathering, erosion and transportation then cementation.
- b. divergent; convergent; transform and transcurrent; and hybrid.
- c. all the above.
- d. none of the above.

29

17-The primary factors affecting the manner of migration of manganese are
the presence or absence of O ₂ and CO ₂ How can you explain that? (4
marks)
501 /
Government the easy seems period or result in consult of the consu
strikus sociera at amanah shinganini samah y tasi alipow decamb
(24 sam 2)
De They could notify if the advances by the supervisor managers.
and the second of the second division of the second of the

انتهت الأسئلة: مع أطيب الأمنيات بالتوفيق: أ. د/على عبدالقادر خضير - أ. د/ ممدوح فراج سليمان

11- Lower stages of oxidation gives the most mobile of Mn ions
A. True
B. False (if false, please correct the wrong)
12-Which one of the following is NOT typical for the "Reduzates
A. They are the opposites of the oxidates.
B. They formed in strongly reducing environments.
C. They are deposited in land-locked waters and in other places of poor circulation.
D. Coal and petroleum which are organogenic sediments are not belong to reduzates.
E. The reduzates are not include muds or black shale
13- There is an important and consistent decreases in δ^{13} C with depth of water
A. True
B. False (if False, why?)
14- The marine organic matter (very +Ve in δ^{13} C) is dominantly remove from surface
waters but is commonly re-oxidized and the heavy C returned to the DIC, after the death of
the organisms in deeper water and on sea floor.
A. True
B. False
15- In Sulphidic environments, the diagenetic sequence has reached the stage at which the
bacterial reduction of dissolved sulphate takes place with production of H ₂ S.
The H ₂ S would react with the chalcophile elements to produce sulfides.
Give three examples by chemical equations? (3 marks)
A
В
C
C
16- Give possible explanations for the following geochemical signatures in
stratigraphic record: (4 marks)
A. Sharp decrease in δ ¹⁸ O associated with increase in fresh water sediments
B. Sharp decrease in δ^{18} O associated with increase in Al-rich sediments

Part II- Geochemistry of sedimentary rocks
Select or write the correct answer for the following: (1-14, one mark for each)

A B C	chemical weathering, acidic water with pH 0-7 possesses Intermediate decomposition action Strong decomposition action decomposition rate depends on the difference between the pH of the solution and the pH of the pure water. Rather weak decomposition action
2- V	Write by the chemical equation the extensive dissolution of the mineral Fayalite in
3- Ab	ove the pH of 4, alumina is almost:
A	. Soluble B. Insoluble C. Stable
4- V	Vrite by the chemical equation the effect of chemical weathering on the mineral <u>albite</u>
	AP CECUTYCHOE of utore acidic placinclase (situito) in some tornide mer
	ite by the chemical equation the hydration of the mineral goethite
. ,	a productive de la constant de la c
6- A	t higher values of pH (above 9), the solubility of quartz is:
	Decreases B. Increases C. Stable
7-W	rite by the chemical equation the hydrolyses of the mineral forsterite
	The argillaceous (Hydrolyzates) substances are characterized by the following,
	EPT: Their accurrance as solid insoluble particles
	Their occurrence as solid insoluble particles Their transportation as suspended particles
	Their certainly smaller particle size
	They consist partly of the chemically undecomposed materials
	They entirely composed of amorphous materials
	0.000.000.000
-The	main source rocks of the soil "Laterite" are:
0.33/1	sigh and of the following is NOT turied for the Havidates H
	nich one of the following is NOT typical for the "oxidates" Ferrous sulphate oxidized to Ferric hydroxide
	Magnetite, ilmenite, chromite are resistance to weathering.
	Sulphide minerals of iron oxidized to ferrous sulphate and H ₂ SO ₄ .
D.	Silicates containing ferrous iron are resistant to weathering

Assiut University -Faculty of Science

Geology Department



First Semester Final Examination

Subject: Course No. G433 (Geochemistry) Students: B.Sc. Students (Geology and Geology/Chemistry Programs), Date: May,25, 2025

Geochemistry

Time allowed: one hour

Examiner: Prof. Dr. Ali A. Khudeir and Mamdouh F. Soliman

الامتحان في أربع صفحات

Part I- Geochemistry of Igneous and Metamorphic Rocks

Answer the following question (20 Marks)

- Q1: Try to Construct the crystallization scenario in the binary albiteanorthite system at low pressure interpreting the occurrence of the following phenomenon's:
- a)- Occurrence of more acidic plagioclase (albitic) in some tonalite intrusions
- b)- Presence of chemical zoning in plagioclase of volcanic rocks

Write your answers in the same sheets

أكتب أجابتك في نفس ورق الأسئلة

Q2-Select or write the correct answer for the following: (1-5, one mark for each)

1-Comets are composed of:

A. calcareous bodies

B. silicate bodies

C. gas and ice

D. Carbonates

2-Mention five elements of the Rare Earth Elements (REE)

3- Which one of the following is NOT typical of "siderophile elements?"

A. They are PGE

B- They are sulfates

C- They are noble metals

4-In the Earth's crust, the following elements are usually trace elements:

A. SiO₂, Al₂O₃, MgO

B. TiO₂, MnO, P₂O₅

C. ZnO, NiO, CuO

5-Trace elements are <u>normally classified</u> either on:

- A. The basis of their position in the periodic table
- B. according to their behavior in magmatic system.
- C. Non of above
- D. Both of A. and B.

- 6. The term mortar refers to a mixture of:
 - a) sand and gravel, b) silica and feldspar, c) quicklime with sand and water
- 7. Soil fertility in areas inhabited by humans is in uninhabited areas.
 - a) higher than, b) lower than, c) equal to
- 8. Prehistoric archaeological sites are defined as those existing:
 - a) before written history, b) after written history.
- 9. Examples of prehistoric artifacts:
 - a) grinding equipment, b) natural polishing pebbles, c) axes and celts, d) all of the above
- 10. The favored site for urban civilizations is located:
 - a) close to the sea, b) along and within the floodplains of major river systems, c) in the desert areas
- 11. A type of chemical sedimentary rock formed by the precipitation of silica from seawater and recorded in many prehistoric sites is:
 - a) chert, b) sandstone, c) quartzite
- 12. Pottery is the general term for artifacts made mostly of:
 - a) limestone, b) clay, c) granite.
- 13. The building stone should be
 - a) Soft, b) derived from metamorphic processes. c) light-colored, d) hard, strong, and durable.
- 14. The earliest metal tool was manufactured around 6000 B.C.
 - a) copper, b) lead, c) zinc, aluminum
- 15. Metal workers learned how to alloy the metals.
 - a) By 3000 B.C., b) By 4000 B.C., c) By 5000 B.C.
- 16. Plaster of Paris is produced by heatingwhich rehydrates in the presence of water.
 - a) gypsum, b) silica, c) anhydrite
- 17. Artifacts are usually discovered
 - a) on the surface, b) buried underground
- 18. The stones used as finely dressed blocks, slabs, or columns in monumental and costly buildings included:
 - a) limestone, b) granite and marble, c) sandstone
- 19. The main building stones used in ancient Egypt included
 - a) gabbro, b) diorite, c) limestone and sandstone
- 20. The primary raw material used in archeological ceramics is
 - a) clay-rich sediments, b) gypsum, c) quartz, d) granite

أ.د. جلال الحباك

تمت الاسئلة وبالتوفيق

المستوى الرابع (جيوفيزياء)

امتحان مادة جيولوجيا الاثار (458ج) الفصل الدراسي الثاني 2025-2024

الزمن ساعتان

ملحوظة الامتحان في صفحتين

I. Answer three questions only of the following (30M)

Q1 (12.5 M)

Provide brief explanations on the following topics:

- i- The seasoning process of stones.
- ii- The significance of artifacts.
- iii- The use of basalt in temples of the Old Kingdom

Q2 (12.5 M)

- i- Describe the different techniques used to determine the provenance of artifacts.
- ii- Write on the geoarchaeological site exploration.

Q3 (12.5 M)

- Examine the connection between geomorphological and geoarchaeological investigations, with a brief case study.
- ii- Discuss the geological materials employed as paints and pigments in the art of Ancient Egypt.

Q4 (12.5 M)

- Explain the factors governing the choice of building stone with emphasis on the characteristics and qualities of good building stone.
- ii- Write briefly on the Gebel el-Silsila sandstone quarry (Middle to New Kingdom, Ptolemaic to Roman) and its products.

Q5 (12.5 M)

- Examine soil phosphate mapping as a widely used chemical technique in archaeological site prospecting.
- ii. Provide examples of minerals in the archaeological record and discuss their applications.

II. Choose the correct answer (one mark for each):

- 1. The world's oldest surviving geological map is dated:
 - a) 1150 B.C., b) 2150 B.C., c) 3150 B.C.,
- 2. The red ocher has been used for decorative purposes since the Mousterian tradition, which is made up of
 - a) ilmenite, b) magnetite, c) limonite, d) hematite
- 3. Provenance of artifacts determined by techniques such as
 - a) mineralogy, b) petrography, c) trace elements, d) stable isotopes, e) all of them
- 4. The orientation of the Turin Papyrus Map is
 - a) east to west, b) south to north, c) northwest to southeast, d) north to south
- 5. The scientific study of past cultures and the way people lived based on the things they left behind is
 - a) archaeology, b) geoarcheology, c) archaeometry

PART TWO

HYDROGEOLOGY

May 2025

25 Marks

Answer the following:

A) Define the following terms:

(10 Marks)

1. Groundwater Aquifer

2. Hydrogeological Unit

3. Storage Coefficient

4. Hydraulic Conductivity

O

6. Specific Retention

5. Transmissivity Coefficient7. Hydroscopic Coefficient

8. Wilting Point

9. An Aquiclude Material

10. Moisture Equivalent

B) Write in details on THREE ONLY of the following topics:

(15 Marks)

- 1. The vertical distribution of the groundwater.
- 2. Ground water aquifers (their types and characters).
- 3. Nile Valley and Delta aquifer system.
- 4. Darcy's law (assumptions and validity).

GOOD LUCK

Prof. Dr. 1 Abdelhay Aly Farrag

Page 2	of 2 Prof. Mah	moud Senosy, Prof.	Abdel Hay F	arag and Dr. Dina Hamdy	
					•
5-				oody plants generally produce	S
II- Ch	noose the correc	ct answer and cor	nment on y	our choice of the	
fol	llowing: -		(9 Mark	s, 1.5 mark each)	
A) Defin 1-	At catagenesis zo	one of petroleum ma	turation, the	produced hydrocarbon is	
	a- Gas	b- Oil		c- Both a and b	
2-	The most useful	pores in reservoir ro	ock are: -		
	a- Catenary pore	b- Close	ed pores	c- Cul-de-sac pores	
3_	The permeability	of excellent reserve	oir rock equa	ls	
2. Bydrosco	a- 1 – 10 md			c- 100 – 1000 md	
4-	The pore filling	kaolinite in sandstor	ne reservoir m	nainly reduces: -	
a	- Porosity	b- Permeabi	lity	c- Both a and b	
5-	One of the recen	t hydrocarbons prod	ucing provin	ces in Egypt is	
		b- Komombo Ba		c- Northern Western Dese	ert
	al distribution 61	Ber grottadwalk.			
		efined as source rock	c if having to	tal organic carbon (TOC)	
	less than: - a- 0.5 wt.%	b- 1 v	vt.%	c- zero wt.%	
III W	hat are the diff	erences with illus	stration het	tween the following: -	
	marks, 1.5 mai		stration oc	ween the following.	
(0	11101115, 1.5 1110	in edell)			
	1- Primary and s	secondary migration	of petroleum		
	2- Diagenesis ar				
		on ratio and critical	moment		
	4- Oil window a	ind gas window			
		Part II: Hydr	ogeology	(25 Marks)	
					-=

Assiut University Faculty of Science Department of Geology



Date: May 2025 Time allowed: 60 minutes

Final Exam

Subject: Petroleum Geology and Hydrogeology (G460) 4th level (all groups) Total 50 Marks

==	Total 50 Marks
	Part I: Petroleum Geology (25 Marks)
r	ransfer the questions to your notebook and answer the following: -
-	Complete the following: - (10 Marks)
A	- Complete the following: - (5 Marcks, one mark each)
2-3-4-	Requirements for high organic productivity include
3-	Complete the following: - (5 Marks, one marks each)
	Mention the petroleum system elements with illustration: - a- b- c- d-
	Mention the main diagenetic processes possibly reduce porosity of sandstone reservoirs. a- b- c-
	In most have Wastern Descrit all fields the main productive structural trans are called

- 4- During reservoir production, hydrocarbons can be produced by

E) When rock types change laterally within depositional setting.	chronostratigraphic units; reflects spatial changes in
	h of them 4- none of them
F) Which sedimentary contacts refer mostly 1- Intercalation 2- Gradational	to conformable relationship between two rock units? 3- both of them 4- none of them
G) Eocene and Miocene rocks are similar in o 1- gypsum 2- iron 3- sulfur 4	containing Ore. 4- none of these
H) Which of the formations are not belonging 1- Abu Madi 2- Nukhul 3- Sidi S	
I) The Cretaceous and Eocene sedimentary ro	ocks at Bahariya Oasis are differing
in	
J) The correct stratigraphic order of the Mioc 1- Ranga, Umm Mahara, Abu Dabbal 3- Qusier, Duwi, Dakhla	
5) A) Compare and correlate in a geologic time the Sinai and south of Western Desert reg	table the Early (Lower) Cretaceous rock units at both gions and write the important of each one if present. (7 Marks)
units at Sinai and Duwi (Red Sea) region	(3 Marks) Campanian-Maastrichtian (Upper Cretaceous) rock ns. an rock units at Sinai and Bahariya Oasis.

انتهت الأسنلة مع أطيب الأمنيات بالتوفيق

أد/ ناجح عبدالرحمن عبيدالله

أد/ على عبدالقادر خضير

بسم الله الرحمن الرحيم

كلية العلوم - قسم الجيولوجيا

امتحان المستوى الرابع بكلية العلوم شعبة الجيولوجيا والجيولوجيا

المادة: (جيولوجيا مصر ,415 ج) - (Geology of Egypt, 415 G) - (بيولوجيا مصر ,415 ج) - (لات ساختان كاك الثاني 2024/2025 الدرجة: 50 درجة الفصل الدراسي الثاني 2024/2025

الامتحان يتكون من صفحتين Final Examination (50 Marks)

Answer the following questions using drawings when possible:

- 1) Write briefly on the ideal lithologic sequence of the ophiolites occurring in the Eastern Desert of Egypt (10 Marks) and mention the main compositional features of their occurrences.
- 2) Discuss in detail the main metamorphic types affecting the Egyptian basement. (10 Marks)
- 3) A) Write brief notes on the following terms:

(5 Marks)

- i) Granite classifications in Egypt.
- ii) Melange types in the Eastern Desert of Egypt.
- iii) Foreland and Hammamat sediments in Egypt.
- B) Write the geologic age of the following rock units (formations) and discuss the stratigraphic (5 Marks) relationship between every two formations.
 - i- Wadi Malik/Desouky
- ii- Khattatba/Massajid
- iii- Abu Roash/El Heiz

- iv- Allam El Buieb /Kharita
- v- Khoman/Kiseiba
- 4) Shade the correct answer 1, 2, 3, or 4

(10 Marks, 1 mark each)

- A) One of these is not type of the physical stratigraphy.
 - 1- Sequence stratigraphy
- 2- Lithostratigraphy
- 3- Magnitostratigraphy
- 4- Biostratigraphy
- B) Dungul nd Drunka formations are similar in
 - 1- geologic age 2- economic important 3- both of them 4- none of them
- C) Put the following divisions of the Geologic Time Scale in order from oldest to youngest:
 - 1- Sillurian, Carboniferous, Cretaceous, Neogene
 - 2- Sillurian, Ordovician, Triassic, Jurassic
 - 3- Ordovician, Devonian, Carboniferous, Triassic
 - 4- Pliocene, Eocene, Oligocene, Miocene
- D) What process is responsible for building successive rock layers on Earth?
- 2- Faulting
- 3- Folding
- 4- Deposition

20- Gradual methods produce surfaces with a stepped appearance.

21- Isolines or contours are used to define a common characteristic along a point

22- Lines to point interpolation are the most frequently performed type of spatial interpolation done in GIS. e.g. Precipitation and rainfall data

23- Approximate interpolators are used when there is some certainty about the given surface values

- 24- The idea of geostatistics is that the points which are close to each other in space should be likely close in values.
- 25- In kurtosis, a value greater than 0 indicates a peaked distribution and a value less than 0 indicates a flat distribution.
- 26-Before formal analysis the data should be examined by displaying as histograms and Plotting.
- 27- In the random sample, selection of an object does not affect the selection of another object (independence of sampling).

28- Regression measures the variability (volatility) from an average or mean.

- 29- A variable that cannot assume a numerical value but can be classified into two or more nonnumeric categories is called qualitative variable.
- 30- A population consists of all elements, individuals, items, or objects whose characteristics are being studied.

31- Member is a specific subject or object about which information is collected.

- 32- Interpolation predicts values for cells in a raster from a limited number of sample data points.
- 33- Descriptive statistics consists of methods that use the sample results to help make decisions or predictions about a population.
- 34- A data set is a collection of observations on one or more variables.

35- Central Tendency is a single summary measure for one variable.

- 36- The selection of interpolation methods decide the quality, accuracy and follow-up analysis applications.
- 37- Unknown values are predicted with a theoretical formula that uses the values of nearby known points.

38- Cliffs and fault lines are not well presented because of the smoothing effect in case of spline interpolation.

39- Natural neighbor interpolation has many positive features, can be used for both interpolation and extrapolation, and generally works well with clustered scatter points.

40- Output data structure is usually in the form of images.

41- The less spread apart the data, the higher the deviation.

42- A change in an input value only affects the result within the window in case of local interpolation methods.

43- Exact interpolators honor the data points upon which the interpolation is based the surface passes through some points whose values are known.

44- In planning a study, one often needs to estimate a minimum sample size to obtain a certain precision

45- The Inverse Distance Weighting (IDW) assumes the variable being mapped increases in influence with distance from its sampled location.

46- A surface created with Spline interpolation passes through each sample point and may exceed the value range of the sample point set

47- Measures of dispersion or variability is one of types of description statistics.

48- Minimum Curvature is widely used in the earth sciences.

49- In any natural spatial distribution, it is almost impossible that the observations at each location are independent.

50- If mean is less than median, the data are negatively skewed.

Geology Department Faculty of Science Assiut University



Final Exam of Statistical Methods in Geophysics (G456) (50 mark)

2025

Time: 2 Hours

Answer the following Questions

Answer (T) for true sentences or (F) for false sentences (one mark each).

- 1- The coefficient of variation is the standard deviation divided by the mean.
- 2- The difference between classical statistics and geostatistics is that geostatistics uses the sampling location of every measurement.
- 3- Groundwater contaminant cleanup is one of applications of geostatistics to environmental problems.
- 4- Theoretical statistics deals with the development, derivation, and proof of statistical theorems, formulas, rules and laws.
- 5- Applied statistics involves the applications of those theorems, formulas, rules and laws to solve real-world problems.
- 6- Contour and grid methods are considered only to be functional surface representation.
- 7- The technique of collecting information from a portion of the population is called a sample
- 8- The spline method is best for gently varying surfaces, such as elevation, water table heights, or pollution concentrations.
- 9- The Inverse Distance Weighting interpolator assumes that each input point has a local influence that diminishes with distance.
- 10- In any natural spatial distribution, it is almost possible that the observations at each location are independent.
- 11- Geostatistics is used for simulation.
- 12- When the sample points are close together and have extreme differences in value, Spline interpolation doesn't work as well.
- 13- The coefficient of variation is a dimensionless measure of variation.
- 14- A variable that can be measured numerically is called quantitative variable such as Stratigraphic Unit and geologic age.
- 15-Interpolation is used because field data are expensive to collect and can't be collected everywhere.
- 16- The assumption that makes interpolation a viable option is that spatially distributed objects are spatially correlated.
- 17- Data collected on the same element for the same variable at different points in time or for different periods called time series data.
- 18- Covariance provides a measure of the strength of the correlation between two sets of random
- 19- Abrupt methods produce a smooth surface between sample points.

Assiut University Faculty of Science Geology Dept

Dr. Mohamed Fekry Khalil

جامعة أسيوط كلية العلوم قسم الجيولوجيا

Final Exam. In Radiometric & Geothermal Course (G452) for Fourth year Students (Geophysics Gro May, 2025 (50 marks)	oup) Time: 2hours
(50 marks)	Time. Zhours
1- Define the following: (8 marks) Heat flow - Half-life – Curie - Element - Roentgen – Beta particle – Isotopes – Thermal distribution	
2- Complete SIX ONLY of the Following: (13 marks)	
1- The quantity of thermal energy that the earth is losing	
3- Write on THREE ONLY of the following: (21 marks)	
 Thermal measurements have provided regional and local information The importance of studying the radioactivity of rocks and minerals Equality of Continental and Oceanic heat flow Geologic Events dated by Radiometric method 	1
4- Complete SIX ONLY of the following: (8 marks)	
1- The C14 method has used for dating	

=Good Luck ==

5. Geophysical well logs can provide information about all the following EXCEPT:				
11 21110108)			B. Formation fluid content D. Surface weather conditions	
	C. Formation pressures	D. Surface wear	ther conditions	
6. Which of the following logs is used to measure the natural gamma radiation emformation?			a radiation emitted by the	
	A. Resistivity log B. Sonic log	C. Gamma-ray log	D. Neutron log	
7.	Which open-hole log is designed to measure through the formation?			
	A. Density log B. Caliper log	C. Sonic log	D. Gamma-ray log	
3.	Which of the following formations would typ	ically show high resisti	vity readings?	
	A. Sandstone with high water content	B. Shale with h	igh clay content	
	C. Limestone with low water saturation	D. Coal with hi	gh moisture content	
).	Which radioactive elements are commonly id A. Potassium (K), Thorium (Th), and Uranium (B. Calcium (Ca), Sodium (Na), and Magnesium C. Iron (Fe), Manganese (Mn), and Zinc (Zn) D. Carbon (C), Nitrogen (N), and Oxygen (O)	(U)	gamma ray logs?	
10.	What does a high SP reading typically indica	te?		
	A. Low formation permeability	B. High format	ion salinity	
	C. Presence of hydrocarbons	D. High format	ion permeability	
1	In what type of formation is a neutron porosity. Sandy formation with low clay content C. Shale formation with high water content		n with high clay content	
12.	What does a neutron porosity log measure?			
	A. The density of the formation C. The electrical resistivity of the formation	B. The hydrogen conte D. The gamma radiation		
	What does a spectral gamma ray log measur A. The total natural radioactivity of the formation			
	B. The spectral distribution of gamma rays emit C. The temperature of the formation	ted by different radioact D. The formati		
14.	What common feature do neutron and ointerpretation?	density porosity logs	share that aids in their	
	A. Both measure formation resistivity C. Both are affected by the presence of gas	B. Both are sensitive to D. Both measure acous	o formation fluid types stic wave travel time	
15.	Which factor is most likely to increase the re	sistivity of a formation	1?	
	A. High salinity of formation water	B. High clay co		
	C. High hydrocarbon saturation	D. High water	content	
-	Good Luck	150	soc. Prof. Rashad Sawires	

Assiut University
Faculty of Science
Department of Geology



جامعة أسيوط كلية العلوم قسم الجيولوجيا

2024/2025 Second Semester, Final Examination

1 June 2025 On: Petrophysics and Well Logging (G-459) Time: 2 hours

Answer ONLY the required questions, illustrating your answer by suitable SKETCHES wherever possible:

First Question: Write short notes on ONLY FOUR of the following:

(20 marks)

- 1. Discrimination between washout and breakout from Caliper log
- 2. Zones of invasion and their corresponding resistivity profiles
- 3. Horner plot and Bottom-Hole Temperature (BHT) correction
- 4. Types of casing used in well design and their specific functions
- 5. Basic components of a rotary drilling rig
- 6. Types and functions of drilling fluids

Second Question: For ONLY FIVE of the following, demonstrate their estimation using equations based on the accompanying well logs: (15 marks)

- 1. Formation resistivity factor and water saturation (Electrical logs)
- 2. Porosity of gas-bearing formation (density and neutron logs)
- 3. Geothermal gradient and formation temperature (temperature log)
- 4. Total porosity (Bulk density and sonic logs)
- 5. Formation water resistivity (SP log)
- 6. Mud-cake thickness (Caliper log)
- 7. Shale volume (SP and gamma-ray logs)

Third Question: Choose the correct answer:

(15 marks)

- 1. Which of the following conditions can a caliper log help identify?
 - A. High resistivity zones

- B. Borehole washouts and enlargements
- C. Formation pressure changes
- D. Fluid saturation
- 2. What is a common type of drilling fluid used in oil and gas operations?
 - A. Hydraulic fluid

B. Water-based mud
D. Ethanol

C. Diesel fuel

- D. Etilai
- 3. What does the log tail generally display?
 - A. The end of the log data

- B. Calibration data and final remarks
- C. Detailed lithological descriptions
- D. Drilling history of the well
- 4. How does resistivity differ between oil-bearing and water-bearing zones?
 - A. Oil-bearing zones generally have higher resistivity than water-bearing zones
 - B. Oil-bearing zones generally have lower resistivity than water-bearing zones
 - C. Resistivity is the same in both oil-bearing and water-bearing zones
 - D. Oil-bearing zones have more variable resistivity than water-bearing zones

- 14. Skarn type deposits are (<u>magmatic</u>, <u>sedimentary</u>, <u>metamorphic</u>, <u>metasomatic</u>) process.
- 15. A region characterized by a particular assemblage of mineral deposit type is named (metallogenic epoch, metalltectic, metallogenic provinces, metallogeny).
- B. Answer <u>SEVEN ONLY</u> of the following (5 pts for each question)
- 1. Discuss shortly how S-saturation is reached by the fractionation of Febearing minerals such as olivine and pyroxene.
- 2. Differentiate between the following pairs of terms: (a) ore and mineral deposits; (b) epigenetic and syngenetic deposits; (c) hypogene and supergene hydrothermal solution.
- 3. Discuss the mineralogical and chemical changes associated with wall-rock alteration.
- 4. Classify metamorphism-related mineral deposits and describe their major characteristics, citing examples.
- 5. What are skarn deposits? Describe their characteristics and origin.
- 6. Write short notes on the following: (a) orogenic gold deposits, (b) sedimentary iron ore, and (c) chromite deposit.
- 7. What is supergene enrichment? How do supergene enriched deposits different from lateritic deposits?
- 8. With the help of drawing illustration, describe how the roll front uranium deposits are formed.

Best Wishes
Mohamed Abdel- Moneim

Geology Department
Faculty of Sciences
Assiut University
Fourth level



Second Term Examination
Ore forming processes (438 G)
June, 2025
Two Hours

Ore forming processes (438)

- A. Choose the correct answer for each sentence of the following: (15 pts)
- 1. Lithophile elements are typically found associated with (basic and ultrabasic, felsic igneous, intermediate igneous, metamorphic) rocks
- 2. In the porphyry type deposits Cu, Au, are derived from (mafic mantle, felsic crustal, mixing of crustal and mantle, metamorphic rocks).
- 3. The inner zone of the hydrothermal alterations related to porphyry type deposits is represented by (phyllic, potassic, propylitic, chloritization) alteration.
- 4. VMS deposits are derived via (<u>magmatic fractionation</u>, <u>fluid immiscibility</u>, <u>hydrothermal solution</u>, <u>metasomatic</u>) process.
- 5. The metal zonation of VMS is represented in the inner zone by (<u>pyrite and chalcopyrite</u>, <u>pyrite-sphalerite-galina</u>, <u>sphalerite-galena-pyrite</u>, <u>Fe and Mn oxides</u>) deposit.
- 6. Halite is formed by (mechanical placer, chemical sedimentary, supergene, biogenic) process
- 7. The main factor controlling the placer deposits is (<u>pressure, temperature, specific gravity, hardness).</u>
- 8. Residual mineral deposits produced as a result of (mechanical weathering, chemical weathering, evaporation, supergene enrichment) process
- 9. The existing mineral deposits that turned into a more highly concentrated mineral deposits by weathering process is (secondary enrichment, placer deposits, residual, skarn) deposit
- 10. Hot aqueous solutions responsible for the formation of many ore deposits are named (magma melts, sea water, hydrothermal solutions, ground water).
- 11. Bauxite and laterite are formed due to (<u>residual</u>, <u>placer</u>, <u>metamprphic</u>, <u>supergene enrichment</u>) process.
- 12. Pt, Cu—Ni sulphide deposits of Bushveld, South Africa are formed via (fluid immiscibility, magmatic segregation, pegmatitic, metamorophgenic) process.
- 13. Li, deposits of Kings Mtn. N.C. is deposited by (<u>pegmatitic</u>, <u>fluid</u> <u>immiscibility</u>, <u>magmatic fractionation</u>, <u>metasomatic</u>) process.

1

27) Which cipher type is typically faster in processing data

a) Block cipher	c) Both are equally fast
b) Stream cipher	d) Neither is fast

28) What is the main difference between symmetric and asymmetric encryption

a) Symmetric encryption uses two keys, while asymmetric uses one	c) Asymmetric encryption is used for data integrity, while symmetric is not
b) Symmetric encryption is faster than	d) Symmetric encryption is used for
asymmetric encryption	digital signatures, while asymmetric is not

29) Which of the following is an example of a public key encryption algorithm

a) DES	c) AES
b) RSA	d) Blowfish

30) What is the primary function of encryption in cryptography

a) To compress data for storage	c) To convert plaintext into ciphertext
b) To verify the integrity of data	d) To generate random numbers

Q2. Encrypt the word <u>Hello</u> using Playfair cipher algorithm with key Playfair (5 Marks)

18) In the context of steganography, why is it beneficial to use a larger host image

a) It allows for more data to be hidden without noticeable distortion.	c) It reduces the need for encryption.
b) It simplifies the encoding process.	d) It eliminates the need for a secret message.

19) What does a higher PSNR value indicate in image processing

107 What about higher i offit value majoute in image processing			
	a) Lower image quality	c) Higher image quality	
	b) Increased file size	d) More compression artifacts	

20) Which is a corrective countermeasure that helps after an attack detected

207 Trinonio a dorredativo deanterinidadare triat netpo arter an attack actected			
	a) Disabling the affected user accounts	c) Installing a firewall	
	b) Encrypting sensitive data	d) All of the above	

21) What is the primary purpose of padding in block cipher methods

a) To increase the encryption speed	c) To ensure that the plaintext is a multiple of the block size
b) To reduce the size of the ciphertext	d) No correct answer

22) Which of the following is NOT a passive attack

a) Meet-in-the-Middle attack	c) Eavesdropping on a conversation
b) Traffic analysis	d) None of the above

23) Which of the following activities would be classified as a passive attack

a) Sending phishing emails	c) Capturing and analyzing unencrypted data packets
b) Exploiting a vulnerability in software	d) Launching a brute-force attack on a

24) What is the size of the key matrix used in the Playfair cipher

a) 4x4	c) 5x5
b) 6x6	d) 3x3

25) Which of the following is a common medium used for steganography

a) Text files	c) Images
b) Audio files	d) All of the above

26) What is the primary method of encryption used by block ciphers

a) Encrypts data one bit at a time	c) Encrypts data using variable sizes
b) Encrypts data in fixed-size blocks	d) No correct answer

False nonmatch rate in high-security app	c) High rate
a) According of problem	d) Reasonable rate
b) Low rate	1 - recoverd
to the saiding salting have of	n the time necessary to crack a password c) Makes the password impossible to
0) What effect does adding satting have	c) Makes the password impossible to
a) No impact on time	crack
ula stime needed for	d) Speeds up the cracking process
b) Increases the time needed for	
cracking	
11) What does the encryption process in a	stream cipher generally involve
11) What does the encryption process	c) Using a public key for encryption
a) Encrypting data in fixed-size blocks	d) Combining plaintext with a key
b) Applying a hash function to the data	stream bit by bit
The second secon	(DAFA)
12)What is the primary benefit of using m	ulti-factor authentication (MFA)
12)What is the primary belief of a 12	c) It simplifies the login process
a) It enhances security by requiring	POTENTIAL DESCRIPTION AND THE PROPERTY OF THE PARTY OF TH
multiple forms of verification b) It eliminates the need for passwords	d) It is faster than single-factor
b) It eliminates the need for passing	authentication
-) A maggiarord	of "something the user is" in authentication c) A security question d) A hardware token
b) A fingerprint or facial recognition	u) A narawa
aobacinedus t	ding against active attacks
14) What is the role of firewalls in defen	c) To provide user authentication
a) To monitor user behavior	d) To filter network traffic
b) To encrypt data	a) to ma
l-t-o in	montant in security
15) Why are regular software updates in	c) They add new features
a) They improve system performance	d) They reduce the need for passwords
b) Thoy patch vulnerabilities	
Market Service is 6	commonly found in email scanning software
16) Which of the following features is a	c) Malware detection
a) Hear authentication	d) Data backup
b) Network performance monitoring	
willeimetataen confidentiality.	ot implementing a "Security in Depth" strateg
17) What is a potential drawback of no	c) Higher costs for security solutions.
a) Increased complexity in scourcy	
	d) Improved user experience.
b) Greater vulnerability to attacks in	2
single layer is breached.	



Cryptography Code: 2) 277 50 Marks

date: 30/5/2025 Time: 2 Hour



Q1. Choose the right answer:

45 Ma	r	ks
-------	---	----

a) Block cipher	c) Hash function	
b) Stream cipher	d) Asymmetric cipher	

2) In RC4, what is the purpose of the key-scheduling algorithm (KSA)

a) To generate the initial permutation of the state array	c) To encrypt the plaintext	
b) To produce the final ciphertext	d) To decrypt the ciphertext	644

3) What is the size of the state array used in RC4

a) 128 bytes	c) 56 bytes	
b) 512 bytes	d) 256 bytes	

4) What does "integrity" in the context of computer security mean

a) Protecting data from unauthorized modification	c) Ensuring that data is available when needed
b) Keeping data confidential	d) Ensuring that systems are user- friendly

5) Which of the following techniques is used to maintain data integrity

of which of the following techniques is used to maintain data integrity		
a) Hashing	c) Data encryption	
b) Firewalls	d) User authentication	

6) What does "availability" in computer security refer to

y what aces availability in computer s	ecurity refer to
a) Ensuring that data is kept secret	c) Ensuring that data is accurate and reliable
b) Ensuring that systems and data are	d) Protecting data from unauthorized
accessible when needed	access

7) Which of the following can threaten the availability of

7) Which of the following can threaten the availability of a system		
	a) Denial of Service (DoS) attacks	c) Data breaches
	b) authorized access	d) Data corruption

8) Which of the following best describes the relationship between confidentiality, integrity, and availability)

a) They are independent of each other.	c) They are interdependent and collectively ensure security.
b) They are mutually exclusive.	d) They are only relevant in specific contexts.