yeast cells? A. Promoter, Multiple Cloning Site, Primer Binding	B. Centromeres (CEN), Telomeres (TEL), and Autonomous Replicating Sequence (ARS).
Site. C. Restriction sites, DNA ligase, Reverse	D. loxP sites, Cre recombinase, Dicer.
transcriptase. 38- How is artificial competence typically induced in bath the second	acterial cells in a laboratory setting to facilitate
transformation? A. By growing the cells in a nutrient-rich broth at room temperature.	B. By exposing cells to ultraviolet radiation.
C. By incubating the cells in a solution containing divalent cations (like calcium chloride) under cold conditions, followed by a heat shock or electroporation.	D. By mixing the cells directly with the DNA and relying on natural uptake.
39- Gene silencing, specifically using small interfering	
knockout. How does this method effectively silence a get A. By preventing the transcription of the gene into mRNA.	B. By causing the disruption and degradation of the target gene's mRNA, thus blocking protein
	translation.
C. By mutating the coding sequence of the gene. 40- In the context of DNA cloning using plasmids, what antibiotic resistance gene, in a plasmid vector?	D. By removing the promoter region of the gene. t is the main purpose of a selectable marker, such as an
A. To drive the transcription of the inserted gene	B. To provide a specific location where DNA replication begins.
C. To allow for the identification and selection of host cells that have successfully taken up the plasmid.	D. To contain multiple recognition sites for restriction enzymes
(II)- Answer <u>Two</u> of the following questions (10 m	
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the	ace (RNAi), detailing the sequential steps, the roles of ke
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may 2-Categorize the different types of plasmids based on the category.	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. neir functional roles, providing a brief description for each
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may 2-Categorize the different types of plasmids based on the category.	nce (RNAi), detailing the sequential steps, the roles of ke include illustrative diagrams if needed.
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grant of the construction of the const	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. neir functional roles, providing a brief description for each
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grant of the construction of the const	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. neir functional roles, providing a brief description for each
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grant of the construction of the const	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. neir functional roles, providing a brief description for each
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grant of the construction of the const	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. neir functional roles, providing a brief description for each
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grestriction enzymes and vectors.	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. Their functional roles, providing a brief description for each genomic library from a large genome, including the roles of
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grant of the construction of the const	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. Their functional roles, providing a brief description for each genomic library from a large genome, including the roles of
1-Describe the molecular mechanism of RNA interference enzymes, and important regulatory molecules. You may a 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grestriction enzymes and vectors.	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. Their functional roles, providing a brief description for each genomic library from a large genome, including the roles of
1-Describe the molecular mechanism of RNA interferent enzymes, and important regulatory molecules. You may 2-Categorize the different types of plasmids based on the category. 3-Detail the key steps involved in the construction of a grestriction enzymes and vectors.	nce (RNAi), detailing the sequential steps, the roles of key include illustrative diagrams if needed. Their functional roles, providing a brief description for each genomic library from a large genome, including the roles of

9- The corresponding figure represents homologous reco	ombination in gene knock out, Y refers to
A. HSVtk gene	B. neo' gene
C HOVAL	D. neo ^r
10- The corresponding figure represents homologous rec	combination in gene knock out, Z refers to
A. HSVtk gene	B. neo ^r
G HGV41-	D. All answers are incorrect
11- In the corresponding figure, what will happen if Y is	expressed in ES cells which are cultured in medium
containing geneiclovir	
containing ganciclovir. A. ES cells will survive	B. Efficient homologous recombination
C. ES cells will die	D. Non-homologous end joining recombination
12- RNA editing means	
A. Altering RNA sequence	B. Genome diversity
C. Adds a poly(A) tail to the 3' end	D. A and B
13- The only coding RNA is	
A. siRNAs	B. tRNAs
C. mRNAs	D. piRNAs
14- RNA editing takes place in cell	
A. nucleus	B. cytoplasm
C. mitochondria	D. All answers are correct
15- Small non-coding RNAs (sncRNAs) include	
	B. tRNA
A. mRNA	D. rRNA
C. miRNA 16- Production of Human Apolioprotein (ApoB100) and	(AnoB40) in liver and intestine, respectively is an
10- Production of Human Apolloprotein (Apobiou) and	(Liposito) management, and
example ofRNA editing	B. C to U
A. U to C	D. I to A
C. A to I	by the translation machinery of the cell.
17- The modified nucleotide (Inosine) is interpreted as .	B. C
A. U	D. G
C. T	
18- A-to-I RNA editing sites abundantly occur in	B. Intronic regions only
A. Intronic regions and 3'-UTRs of mRNA	D. Exonic regions only
C. Exonic regions and 3'-UTRs of mRNA	ive colection marker should
19- When homologous recombination occurs, the negati	R Cut the genome
A. Insert into the genome	B. Cut the genome
C. Inhibit the genome	D. Not insert into the genome
20- CRISPR-Cas system class 1 type I is	D CDICDD Con2
A. CRISPR Cas 9	B. CRISTR Cass
C. CRISPR Cas 10	D. CRISPR Cas7
21- CRISPR-Cas system class 2 type V is	D CDICDD or 52
A. CRISPR Cas 10	B. CRISPR cpt 3
C. CRISPR cpf 1	D. CRISPR Cas7
22- In modified crispr cas9 system, gRNA is used in ger	ne editing instead of
A. Single tracrRNA	B. Single CIKINA
C troorDNA and crRNA	D. All answers are incorrect
23- The efficiency of homologous recombination is	when there are base pair similarity between the
donor and recipient DNA.	
A. Decreased	B. Stable
C Increased	D. Similar
24- Pre-RNA processing to be mRNA includes, capping	g, poly A tail, splicing and
A. RNA polymerization	B. RNA fragmentation
C RNA editing	D. RNA migration

25- The applications of CRISPR/Cas9 include	
A. Knockout Animal Generation	B. Knock-in Animal Generation
C. Gene Activation / Repression	D. All answers are correct
26- A genomic library is a collection of:	
A. All the mRNA molecules expressed in a cell	B. The total genomic DNA from a single
type.	organism, cloned into vectors.
C. The coding sequences of all genes in an	D. Plasmids containing genes that confer
organism.	antibiotic resistance.
27- Transformation in the context of DNA cloning refers	to the process by which:
A. Bacteria replicate their DNA.	B. Bacteria take up exogenous genetic material (e.g., plasmids) from their surroundings.
C DNA for any injured to gother by DNA	D. Proteins are synthesized from a DNA template.
 C. DNA fragments are joined together by DNA ligase. 	B. Troteins are synthesized from a Divir complate.
28- The Cre recombinase enzyme recognizes and acts up	on·
A. Restriction enzyme recognition sites	B. The origin of replication
C. Lox sequences (e.g., LoxP)	D. The poly(A) tail of mRNA
29- RNA interference (RNAi) is also known by what other	
A. Transcriptional Gene Activation	B. Post-Transcriptional Gene Silencing (PTGS)
C. DNA Replication Inhibition	D. Protein Folding Assistance
30- If an investigator wishes to study the overall structu	re of a gene, including potential introns and control
sequences responsible for regulating gene expression, wh	at type of DNA source should they clone from?
A. Genomic DNA	B. mRNA
C. cDNA	D. Plasmid DNA
31- Which of the following is a key characteristic of an io	
A. It should be larger than 50 KB in size	B. It should be replicated autonomously
C. It should contain only one restriction site	D. It should prevent the incorporation of DNA
c. It should contain only one restriction site	inserts
32- What is the specific function of the enzyme Dicer in	
A. It binds to the Argonaute protein.	B. It synthesizes double-stranded RNA
The fit office to the Linguistant provider	(dsRNA).
C. It cleaves double-stranded RNA (dsRNA) and	D. It degrades the target messenger RNA
pre-miRNA into short fragments called small	(mRNA).
interfering RNAs (siRNAs).	
33- Which type of restriction enzyme is most widely used	l in molecular biology due to its ability to cleave DNA
at a specific recognition sequence?	
A. Type I	B. Type II
C. Type III	D. Type IV
34- During cloning, after cutting the target gene fragmen	nt and the vector with the same restriction enzyme
(like EcoRI) to generate complementary sticky ends, wh	at is still missing before DNA ligase can create an
unbroken molecule?	
A. Hydrogen bonds between the sticky ends	B. The origin of replication sequence
C. Intact sugar-phosphate backbones at the junction	D. The selectable marker gene
sites	
35- Cosmids are hybrid vectors often used for cloning la	rger DNA fragments than typical plasmids. What is
the main characteristic borrowed from bacteriophage L	ambda that allows them to function in this way?
A. The ability to replicate autonomously	B. The presence of cos sequences (cos site).
C. The antibiotic resistance gene	D. The multiple cloning site.
36- Which type of plasmid is primarily involved in helpi	ng bacteria transfer genes to other bacterial species
through conjugation?	
A. Resistance (R) plasmids	B. Degradative plasmids
C. Virulence plasmids	D. Fertility F-plasmids

	hingtion in gone knock out. V refers to
9- The corresponding figure represents homologous r	B. neof gene
A. HSVtk gene	D moof
C. HSVtk	recombination in gene knock out, Z refers to
10- The corresponding figure represents nomologous	B. neo ^r
A. HSVtk gene	D All anguers are incorrect
C. HSVtk	(is expressed in ES cells which are cultured in medium
11- In the corresponding figure, what will nappen in	is expressed in 25 comments
containing ganciclovir.	B. Efficient homologous recombination
A. ES cells will survive	D. Non-homologous end joining recombination
C. ES cells will die	D. Non-nomologous end journey
12- RNA editing means	B. Genome diversity
A Altering RNA sequence	D. A and B
C Adds a poly(A) tail to the 3' end	D. A and b
13- The only coding RNA is	D (D)(1-
A. siRNAs	B. tRNAs
C mRNAs	D. piRNAs
14- RNA editing takes place in cell	densi Porte di Battiro della grantica annica a sumper consultati
A. nucleus	B. cytoplasm
C mitochondria	D. All answers are correct
15- Small non-coding RNAs (sncRNAs) include	•••••
A. mRNA	B. tRNA
	D. rRNA
C. miRNA	and (ApoB40) in liver and intestine, respectively is an
16- Production of Human Apolloprotein (Apobloo)	und (apa-1)
example of	B. C to U
A. U to C	D. I to A
C. A to I	as by the translation machinery of the cell.
17- The modified nucleotide (Inosine) is interpreted	B. C
A. U	D. G
C. T	
18- A-to-I RNA editing sites abundantly occur in	B. Intronic regions only
A Intronic regions and 3'-UTRs of mRNA	B. Introlle regions only
	D. Exonic regions only
19- When homologous recombination occurs, the ne	gative selection marker should
A. Insert into the genome	
C Inhihit the genome	D. Not insert into the genome
20- CRISPR-Cas system class 1 type I is	
A. CRISPR Cas 9	B. CRISPR Cas3
C. CRISPR Cas 10	D. CRISPR Cas7
21- CRISPR-Cas system class 2 type V is	
21- CRISPR-Cas system class 2 type v is	B. CRISPR cpf 3
A. CRISPR Cas 10	D. CRISPR Cas7
C. CRISPR cpf 1 22- In modified crispr cas9 system, gRNA is used in	gene editing instead of
22- In modified crispr casy system, gRNA is used in	B. Single crRNA
A. Single tracrRNA	D. All answers are incorrect
C. tracrRNA and crRNA	when there are base pair similarity between th
23- The efficiency of homologous recombination is	when there are base pass pass
donor and recipient DNA.	
A. Decreased	B. Stable
	D. Similar
C. Increased 24- Pre-RNA processing to be mRNA includes, cap	ping, poly A tail, splicing and
AT ALVANIA PROTECTION	B. RNA fragmentation
A. RNA polymerization	D. RNA migration

Page 2 of 4



Final Exam for Genetic Engineering **Second Semester** 2024 - 2025



Faculty of Science

Course Code: Z 314

Exam Duration: Three hour Exam Date: 17/05/2025

Zoology & Entomology Department

Examiners' Committee: Prof. Dr. Abo Bakr Mohamed El-Tayeb & Dr. Mahmoud S. M. Abdelrasoul

Exam in Four Pages

- (I)- Choose the correct answer for the following questions and write your answers in the answer sheet (40 marks, one mark for each):
- 1-β-galactosidase enzyme reaction screening is used for proper.....in DNA recombination experiments.
 - A. Transfection
- C. Ligation
- D. Antibiotic resistance 2- When cDNA itself has a site for the restriction enzyme which designed to cleave the linkers, this can be overcome usingenzyme.
 - A. Demethylase

B. Methylase

C. Transcriptase

- D. Reverse-transcriptase
- 3- In CRISPR cas9 system,..... prevents the systems from attacking its own CRISPR.
 - B. crRNAs

B. Amplification

A. Cas9 C. PAM

- 4- The most commonly used Cas9 from Streptococcus pyogenes recognizes the PAM sequence
- D. tracrRNAs

A. 5'-NGG-3'

- C. 5'-GNG-3'
- B. 5'-GGN-3'D. 5'-NNGRR(N)-3'

- 5- Adenosine deaminases is acting on $\ldots\ldots$ catalyzing A to I transition. A. dsDNA
 - B. ssRNA

C. ssDNA


- D. dsRNA
- 6- REC I domain of cas9 system
- A. cuts single stranded DNA
- B. binds gRNA D. binds target DNA
- C. interacts with PAM sequence 7- Which system of the following cacs9 has a deficient nuclease activity?

A. Wild type cas9 C. cas9 d10

B. dcas9

- D. cas9D10A
- 8- In the corresponding figure, what will happen if X is not incorporated into the gene locus in ES cells which are cultured in medium containing G418.
 - A. ES cells will survive
- B. Efficient homologous recombination

- C. ES cells will die
- D. ES cells will multiply



Page 1 of 4

10. Infective stage of Naegleria fowleri is	
(a) Cyst stage	(b) Amoeboid form of trophozoite
(c) Flagellated form of trophozoite	(d) Embryonated egg
11. Metacercaria is an infective stage in the following	parasites except
(a) Fasciola gigantica	(b) Heterophyes heterophyes
(c) Clonorchis sinesis	(d) Diphyllobothrium latum
12. A temporary union of two organisms for exchange	e of nuclear material is called
(a) Sporogony	(b) Endodyogeny
(c) Conjugation	(d) Gametogony
13. In human, malarial parasites multiply in liver cell	ls by
(a) Binary fission	(b) Budding
(c) Gametogony	(d) Schizogony
14. The diagnostic stage of Balantidium coli is	
(a) trophozoite	(b) quadrinucleated cyst
(c) cyst	(d) metacercariae
15. The infective stage of Ancylostoma duodenale is	
(a) Rhabdtoid larva	(b) Embryonated egg
(c) Filariform larva	(d) Fertilized egg
B- Discuss the life cycle and pathogenesis of I	Plasmodium spp.? (8 marks)
C- Compare between Taenia saginata and	Taenia solium as regards (scolex
gravid proglottids, infective stage, and interm	nediate stage)? (10 marks)
D- Give an account on fish as a source of helm	minthic infection? (9 marks)
E- Compare between	(8 marks)
1. Cyclophyllidae and pseudophyllidae	
2. Different forms of Trypanosoma spp.	
	rescine of Selfrovenia and Freeton al-
Good luck	Prof. Dr., Gamal H. Abed

Dr. Sara S. Abdel-Hakeem

(c) Ascaris lumbercoides



Final exam: Parasitology Course number: 321 Z Time: 2 hours

Answer the following question (illustrating your answer with labeled drawings whenever possible)

A- Select the single best answer for each of the following (1 marks/ each)				
1. Parasitic infection which is most common in	children			
(a) Fasciola gigantica	(b) Heterophyes heterophyes			
(c) Enterobius vermicularis	(d) Ancylostoma duodenale			
2. Human acts as intermediate host of				
(a) Taenia solium	(b) Fasciolepsis buski			
(c) Balantidium coli	(d) Trypanosoma spp.			
3. The ootype in trematodes connect with				
(a) Oviduct	(b) Vitelline canal			
(c) Uterus	(d) all the above			
4. Definitive host is one				
(a) In which sexual multiplication takes place and	harbors adult form			
(b) In which asexual multiplication takes place and	l harbors adult form			
(c) In which sexual multiplication takes place and	harbors larval form			
(d) In which asexual multiplication takes place and	l harbors larval form			
5. Which of the following nematodes lays eggs c	ontaining larvae?			
(a) Trichenilla spiralis	(b) Enterobius vermicularis			
(c) Ascaris lumbercoides	(d) Brugia malayi			
6. All the following lead to bloody diarrhea exce	ept			
(a) Schistosoma mansoni	(b) Entamoeba histolytica			
(c) Trypanosoma spp.	(d) Balantidium coli			
7. Which of the following parasites can cause de	eficiency in vitamin B12			
(a) Ascaris lumbercoides	(b) Loa Loa			
(c) Diphyllobothrium latum	(d) Schistosoma haematobium			
8. Cercariae of Schistosoma and Fasciola are di	fferent in the following except			
(a) Tail	(b) Penetrating glands			
(c) a & b	(d) Alimentary canal			
9. Consumption of uncooked meat is likely to ca	use infection with			
(a) Entamoeba histolytica	(b) Taenia saginate			

(d) Schistosoma haematobium

4-	
C- Why mitochondrial DNA is injured at a much greater rate than nuc	clear DNA?
1-	
2-	
D- What role HSPs play in the aging process?	
1-	
2-	
E- Why yeast, nematodes and fruit flies have attracted a lot of attention	n from gerontologists
2-	
IV-Write on two only of the following: 1- Heat shock protein.	(10 Marks)
2- Hormone replacement. 3- Apoptosis and AIDS.	

	epresent									lympho	
c) re	epresent	65% of	circulatir	ng lymph	nocytes.						
5- The	stimulati	on and d	lifferentia	ation of	B-cells i	nto plas	ma cells	is comp	leted by:		
a) I	Killer cel	lls	b) 1	Helper c	ells	c) Su	ppressor	cells			
long b) la	er increa g phase	se and m	owth cycnay even	decrease	e known	as:	the num	a) deat	cells in the phase sonary phases		ulation
b) ce	ll divisio	ı			c) the	e cell cyc	le				
8- The i	immunog	globulin	that disa	ppear in	nmediate	ly after	its secret	ion is:			
	a) IgA		b) l			Leonge	c) IgG				
9- Epste	ein-Barr V	rirus (EB	V) which	associate	ed with so	ome lymp	homas p	roduces	a protein	similar	to:
a) B	cl-2		b) A	Apaf-1					c) Bax		
10- The	lympho	cytes tha	it open he	oles in th	he foreig	n cells a	nd lysis	them are	e: 8	a) Killer	cells
					ry cells		1,010	thom ar		a) itilioi	cens
b) H	Ielper ce	lls	()	-memol	ly CCIIS						
						lical struc	cture that	makes u	p DNA ca	alled:	
11- The		that do th	ne unwind			lical stru	cture that		p DNA ca	alled:	
11- The a) d	enzymes ublicases	that do th	b) h	ing the d	ouble-hel			c) deam	nerases		s direct
a) d 12- Dep	enzymes ublicases	that do th	b) h	ing the d elicases animal'	ouble-hel	to repai		c) deam			s direct
11- Thea) d12- Dep	enzymes ublicases	that do th	b) h	ing the d elicases animal'	ouble-hel	to repai	r certain	c) deam types o c) the l	nerases f DNA d ifespan	amage i	
a) d 12- Dep	enzymes ublicases pending c	on its spe	b) hecies, the	ing the d	ouble-helds ability b) ge	to repai		c) deam	nerases f DNA d		s direct
a) d 12- Dep	enzymes ublicases pending c	on its spe	b) hecies, the	ing the d	ouble-helds ability b) ge	to repai	r certain	c) deam types o c) the l	nerases f DNA d ifespan	amage i	
a) d 11- The a) d 112- Dep relate	enzymes ublicases pending ced to:	on its spear a)	b) heccies, the telomers	ing the dielicases animal'	ouble-helds ability b) ge	to repai	r certain	c) deam types o c) the l	nerases f DNA d ifespan	amage i	
11- The a) d 12- Dep relate 1	ublicases pending ced to:	on its special and a special a	b) hecies, the telomers	ing the dielicases animal's	ouble-helds ability b) ge	to repairnes	r certain	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
11- The a) d 12- Dep relate 1	ublicases pending ced to:	on its special and a special a	b) hecies, the telomers	ing the dielicases animal's	ouble-helds ability b) ge	to repairnes	r certain	c) deam types o c) the l	f DNA d ifespan	amage i	12 orks)
a) d 11- The a) d 112- Dep relate 1 III- W A- Cells	ublicases pending ced to:	on its special and a special a	b) hecies, the telomers	ing the dielicases animal's	ouble-helds ability b) ge	to repairnes	r certain	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
a) d 12- Dep relate 1 III- W A- Cells	ublicases pending ced to:	on its special and a special a	b) hecies, the telomers	ing the dielicases animal's	ouble-helds ability b) ge	to repairnes	r certain	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
a) d 112- Dep relate 1 111- W A- Cells	ublicases pending ced to:	on its special and a special a	b) hecies, the telomers	ing the dielicases animal's	ouble-helds ability b) ge	to repairnes	8 teristic s	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
a) d 112- Dep relate 1 111- W A- Cells	ublicases pending ced to:	on its special and a special a	b) hecies, the telomers	ing the dielicases animal's	ouble-helds ability b) ge	to repairnes	8 teristic s	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
a) d 12- Dep relate 1 III- W A- Cells	enzymes ublicases pending c ed to: 2 rite the s that ar	on its spear a) 3 e followed admaged are damaged are	b) hecies, the telomers	ing the disclination and the d	ouble-held's ability b) ge 6	to repairnes	8 steristic s	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
a) d 12- Dep relate 1 III- W A- Cells 1- 2- 3- B- Cros	enzymes ublicases pending c ed to: 2 rite the s that ar	on its spear a) 3 e followed admaged are damaged are	b) he ecies, the telomers 4 ving date day in	ing the disclination and the d	ouble-held's ability b) ge 6	to repairnes	8 steristic s	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)
a) d 12- Dep relate 1 III- W A- Cells 1- 2- 3-	enzymes ublicases pending c ed to: 2 rite the s that ar	on its spear a) 3 e followed admaged are damaged are	b) he ecies, the telomers 4 ving date day in	ing the disclination and the d	ouble-held's ability b) ge 6	to repairnes	8 steristic s	c) deam types o c) the l	f DNA d difespan	amage i	12 orks)





Assiut University Faculty of Science	كلية العلوم
Dept. of Zoology	جا وعة اسيوط
Final Exam. of Cell Biology (312Z) for Zoology Studer	
June 2025	Time 2 hours
I- Fill in the spaces	(15 Marks)
1- Growth factors include substances which many of the actions of h	normones.
2- The most efficient DNA repair going on in	
3- The immune system usesto destroy bacteria and other pathogo	ens.
4- SOD converts an oxygen radical known as superoxide anion into	Agl (B
5- In a process called, glucose molecules attach themsel	lves to proteins.
6- Melanoma cells avoid apoptosis by inhibiting the expression of the gene encoding	ng
7- Every chromosome has tails at its ends that get as a cell divide	es.
8- The progressive deterioration of many bodily functions over time is called:	
9- One of the genes that control a special stage in the worm's development called dauer for	ormation known as:
10- The senescent cells continue to respond to hormones and other outside	stimuli, but can't
11- The proliferative gene is thought to regulate the expressi important in cell division.	on of other genes
12 - Filtration and sedimentation are used in:	
13- Apoptosis-inducing factor (AIF) is a protein that is normally located in	
14- Testosterone supplementation might trigger excessive red blood cell production in so increase a man's risk of	ome men which can
15- In some tissues, such as, cell division ceases som	netime after birth.
II- Choose the correct answer:	(12 Marks)
1- The hormone like chemical messengers that control the activities of the imm	unologic reaction
cells is called: a) Interleukins b) Interferons c) Immunoglob	oulins
2- Cellular immunity is mediated by: a) B-lymphocytes b) T-lymphocytes	s c) Phagocytes
3- The immunoglobulin that crosses the placental barrier is: a) IgG	b) IgA c) IgD
4- Which one of the following statements regarding B-lymphocytes is TRUE :	







Assiut University Final Exam of Principles of June, 1st 2025 Faculty of Science Embryology (Z 334) for Chemistry-Time: 2 hours Total marks: 50 Department of Zoology Zoology & Zoology students

Answer the following questions using labeled drawings when it is possible:


- 1- A) Draw and give labels for different parts of: (a) sperm (b) chick egg. (4 marks)
 - B) Compare between mesodermal somite in Amphioxus and toad. Use labeled drawings (6 marks)
- 2- A) State true or false: (5 marks)
 - i- Chordamesoderm is located at the floor of archenteron.
 - ii- Proximal centriole functions for the union of male and female nuclei.
 - iii- Fertilization cone helps to prevent entry of new sperms into the ovum.
 - iv- The value of pH is important factor during fertilization.
 - v- Type of cleavage in chick embryo is discoidal meroblastic one.
- B) Choose the right answer: (5 marks)
- i- In crocodiles, yolk is synthesized in
- a) oocyte b) liver of mother c) fat bodies d) a and b ii- The surface of human oocyte is covered by an area called d) vitelline membrane
- b) zona radiate c) zona pellucida a) corona radiate
- iii- An example of oviparous animals is
- d) human a) lion b) pig c) duck
- iv- Cleavage type in the amphioxus is
- a) equal holoblastic b) unequal holoblastic c) meroblastic d) superficial
- v- If nondisjunction occurs in the second meiosis, trisomy probable percentage is
- a) 100% b) 75% c) 50% d) 25%
- 3- A) Compare between ovum and sperm. (5 marks)
 - B) Account the factors that control successful external fertilization. (5 marks)
- 4- What are the different types and functions of placenta? (10 marks)
- 5 Write on the advantages and disadvantages of testosterone. (10 marks)

End of questions.....Best of Luck

Dr. Reda A. Ali Prof. Experimental Embryology

4-	
C- Why mitochondrial DNA is injured at a much greater	rate than nuclear DNA?
1-	
2-	
D- What role HSPs play in the aging process?	
(CR) converts as oxygen radical known as separazide auton bits.	
In a progres pasked	
2-	
E- Why yeast, nematodes and fruit flies have attracted a	ot of attention from gerontologists?
It The progressive deserveration of many bodily functions over the 1-	
9-One of the genes that control a special stage in the vector's deve	
2-	
IV-Write on two only of the following:	(10 Marks)
1- Heat shock protein. 2- Hormone replacement.	regulate the expression of other genes
3- Apoptosis and AIDS.	
	ocated in
II- Choose the correct answer:	
1- The hormone like chemical messengers that control the	

c) represent 65% of circulating lymphocytes. 5- The stimulation and differentiation of B-cells into plasma a) Killer cells b) Helper cells c) Supp 5- In cell population growth cycle, the phase in which the longer increase and may even decrease known as: b) lag phase 7- The sequence of activities exhibited by cells is called: b) cell division c) the cell cycle 8- The immunoglobulin that disappear immediately after its a) IgA b) IgE 9- Epstein-Barr Virus (EBV) which associated with some lymphona a) Bcl-2 b) Apaf-1 10- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 11- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 12- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	se number o a) de c) st a) m secretion is c) IgG omas produc d lysis them are that make. c) de	of cells in the eath phase tationary phasitosis ces a protein c) Bax are: are: are: are: are: are: are: are:	ase a similar a) Killer alled:	to:
a) Killer cells b) Helper cells c) Suppose In cell population growth cycle, the phase in which the longer increase and may even decrease known as: b) lag phase 7- The sequence of activities exhibited by cells is called: b) cell division c) the cell cycle 8- The immunoglobulin that disappear immediately after its a) IgA b) IgE 9- Epstein-Barr Virus (EBV) which associated with some lymphota) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structura) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	se number o a) de c) st a) m secretion is c) IgG omas produc d lysis them are that make. c) de	of cells in the eath phase tationary phasitosis ces a protein c) Bax are: a es up DNA ca eamerases es of DNA da	ase a similar a) Killer alled:	to:
a) Killer cells b) Helper cells c) Supp - In cell population growth cycle, the phase in which th longer increase and may even decrease known as: b) lag phase - The sequence of activities exhibited by cells is called: b) cell division c) the cell cycle - The immunoglobulin that disappear immediately after its a) IgA b) IgE - Epstein-Barr Virus (EBV) which associated with some lympho a) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) the phase in which the phase in which the phase in the foreign cells and the phase in the	se number o a) de c) st a) m secretion is c) IgG omas produc d lysis them are that make. c) de	of cells in the eath phase tationary phasitosis ces a protein c) Bax are: a es up DNA ca eamerases es of DNA da	ase a similar a) Killer alled:	to:
In cell population growth cycle, the phase in which the longer increase and may even decrease known as: b) lag phase The sequence of activities exhibited by cells is called: b) cell division c) the cell cycle The immunoglobulin that disappear immediately after its a) IgA b) IgE Epstein-Barr Virus (EBV) which associated with some lymphora a) Bcl-2 b) Apaf-1 O-The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	secretion is c) IgG comas produce d lysis them re that make. c) decertain types	of cells in the eath phase tationary phasitosis s: ces a protein c) Bax are: are: are: are: are: by up DNA cate the cate of DNA dates are to DNA dates are to DNA dates are to DNA dates are the control of the cells are the cate of DNA dates are the cells are t	ase a similar a) Killer alled:	to:
longer increase and may even decrease known as: b) lag phase - The sequence of activities exhibited by cells is called: b) cell division c) the cell cycle - The immunoglobulin that disappear immediately after its a) IgA b) IgE - Epstein-Barr Virus (EBV) which associated with some lympho a) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structura) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	a) de c) st a) m secretion is c) IgG omas produc d lysis them are that make. c) de	ceath phase tationary phase tationary phase tationary phase tationary phase tationary phase tationary phase a protein c) Bax are: a compared to a compared tationary phase tat	ase a similar a) Killer alled:	to:
b) cell division c) the cell cycle The immunoglobulin that disappear immediately after its a) IgA b) IgE Epstein-Barr Virus (EBV) which associated with some lympho a) Bcl-2 b) Apaf-1 O- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells I- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	secretion is c) IgG comas produce d lysis them are that make. c) decertain types	c) Bax are: a es up DNA ca eamerases es of DNA da	a) Killer	cells
- The immunoglobulin that disappear immediately after its a) IgA b) IgE - Epstein-Barr Virus (EBV) which associated with some lympho a) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) IgG omas produc d lysis them are that make. c) de	c) Bax are: a es up DNA ca eamerases es of DNA da	a) Killer	cells
a) IgA b) IgE - Epstein-Barr Virus (EBV) which associated with some lympho a) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structure a) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) IgG omas produc d lysis them are that make. c) de	c) Bax are: a es up DNA ca eamerases es of DNA da	a) Killer	cells
a) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structura) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	omas produced lysis them that make c) decertain types	c) Bax are: a es up DNA ca eamerases es of DNA da	a) Killer	cells
a) Bcl-2 b) Apaf-1 0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	I lysis them tre that make. c) decertain types	c) Bax are: a es up DNA ca eamerases es of DNA da	a) Killer	cells
0- The lymphocytes that open holes in the foreign cells and b) Helper cells c) T-memory cells 1- The enzymes that do the unwinding the double-helical structural dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) de	are: a es up DNA ca eamerases es of DNA de	alled:	
b) Helper cells 1- The enzymes that do the unwinding the double-helical structu a) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) de	es up DNA ca eamerases es of DNA da	alled:	
b) Helper cells 1- The enzymes that do the unwinding the double-helical structu a) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) de	es up DNA ca eamerases es of DNA da	alled:	
a) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) de	eamerases		s direct
a) dublicases b) helicases 2- Depending on its species, the animal's ability to repair or related to: a) telomers b) genes	c) de	eamerases		s direct
2- Depending on its species, the animal's ability to repair of related to: a) telomers b) genes	certain types	s of DNA da	amage is	s direct
related to: a) telomers b) genes			amage is	s direct
related to: a) telomers b) genes			annage n	5 411 661
1 2 2 4 5 6 7		ie mespan		
1 4 3 4 5 6 /	8 9	10	11	12
		.noisivii	ties of a	terrequi
	i besu ma ne	edimentatio	t bas no	Films
in that is normally located in	iF) is a prote	ide factor (A)	ioshni-eh	ectaugA
II- Write the following data		(13 Ma	rks)
A- Cells that are damaged by injury undergo a character	ristic series	of changes	such as	s:
and the annual sympaty and ago we can always		or enumber		•
cell division ceases sometime after birth.				
(12 Martis)				
-				
B- Crosslinking interests gerontologists for several reaso	ns these ar	·e:		
		онгриш (4		
a) B-lymphocytes b) T-lymphocytes c) Phagocytes				
acental barrier is: a) lgG b) lgA c) lgD				





ology Final Exam. of Cell Biology (312Z) for Zoology Students Time 2 hours

June 2025	Time 2 hours
I- Fill in the spaces	(15 Marks)
1- Growth factors include substances whichmany of the actions of	hormones.
2- The most efficient DNA repair going on in	
3- The immune system usesto destroy bacteria and other pathog	gens.
4- SOD converts an oxygen radical known as superoxide anion into ,	Agl (8 %
5- In a process called, glucose molecules attach themse	elves to proteins.
6- Melanoma cells avoid apoptosis by inhibiting the expression of the gene encod	ing
7- Every chromosome has tails at its ends that get	les.
8- The progressive deterioration of many bodily functions over time is called:	
9- One of the genes that control a special stage in the worm's development called dauer	formation known as:
10- The senescent cells continue to respond to hormones and other outside	stimuli, but can't
11- The proliferative gene is thought to regulate the express important in cell division.	sion of other genes
12 - Filtration and sedimentation are used in:	
13- Apoptosis-inducing factor (AIF) is a protein that is normally located in	
14- Testosterone supplementation might trigger excessive red blood cell production in s increase a man's risk of	some men which can
15- In some tissues, such as, cell division ceases so	metime after birth.
II- Choose the correct answer:	(12 Marks)
1- The hormone like chemical messengers that control the activities of the immodels is called: a) Interleukins b) Interferons c) Immunoglo	atel neddollogos") d
2- Cellular immunity is mediated by: a) B-lymphocytes b) T-lymphocyte	es c) Phagocytes
3. The immunoglobulin that crosses the placental harrier is: a) IgG	h) IgA c) IgD

4- Which one of the following statements regarding B-lymphocytes is TRUE:

9. Consumption of raw vegetables is likely to cause	the following protozoan disease except			
(a) Entamoeba histolytica	(b) Giardia lamblia			
(c) Balantidium coli	(d) Trichomonas vaginalis			
10. Infective stage of Naegleria fowleri is				
(a) Cyst stage	(b) Amoeboid form of trophozoite			
(c) Flagellated form of trophozoite	(d) Embryonated egg			
11. The intermediate host of Toxoplasma gondii is				
(a) Fish	(b) Cats			
(c) Man	(d) Snail			
12. A temporary union of two organisms for exchan	age of nuclear material is called			
(a) Sporogony	(b) Endodyogeny			
(c) Conjugation	(d) Gametogony			
13. In human, malarial parasites multiply in liver co	ells by			
(a) Binary fission	(b) Budding			
(c) Gametogony	(d) Schizogony			
14. In order pseudophyllidea, the anchor organ is				
(a) Scolex	(b) Rostellum			
(c) Hooks	(d) Bothria			
15. The infective stage of Ancylostoma duodenale is				
(a) Rhabdtoid larva	(b) Embryonated egg			
(c) Filariform larva	(d) Fertilized egg			
B- In a table form differentiate between Tre of infection, habitat, intermediate hosts)? C- From your study, make a labeled diagram in blood smear, mention their vectors and in D- Enumerate the protozoa that may affect may be found? E- Compare between 1. Taenia saginate and Diphyllobothrium latterintermediate host, infective stage, and egg 2. Coracidium and miracidium 3. Rhabditiform and filariform larvae 4. Different forms of Trypanosoma spp. Good luck	(10 marks) ms of the parasites that may be seen fective stage? (10 marks) human eye? Mention the stage tha (3 marks) um in the following items (scolex,			
Good tuck	Dr. Sara S. Abdel-Hakeem			

(c) a & b

Answer the following question (illustrating your answer with labeled drawings whenever possible)

A- Select the single best ar	nswer for each of the following (1 marks/ ea	ich
1. Parasites which enter unusu	al host are called	
(a) permanent parasites	(b) accidental parasites	
(c) erratic parasites	(d) facultative parasites	
2. Lymnaea trancatula is interi	nediate host of	
(a) Fasciola gigantica	(b) Fasciolepsis buski	
(c) Fasciola hepatica	(d) Schistosoma mansoni	
3. Autoinfection, could be proj	pagated by	
(a) Taenia saginata	(b) Enterobius vermicularis	
(c) Heterophyes heterophyes	(d) Ascaris lumbercoides	
4. Which one of the following i	s a good general statement about the life cycle of digene	tic
trematodes?		
(a) A snail intermediate host is re	equired.	
(b) The infective (metacercarial)	stage always encysts on aquatic vegetation.	
(c) The second intermediate host	is always a vertebrate.	
(d) The adult fluke is always fou	nd in the small intestine of the definitive host.	
5. Which of the following para	sites can be transmitted congenitally	
(a) Acanthamoeba spp.	(b) Schistosoma haematobium	
(c) Ascaris lumbercoides	(d) Toxoplasma gondii	
6. Humans get infected with th	e hydatid cyst of Echinococcus granulosus when they in	ges
(a) a flea that contains the larval	tapeworm.	
(b) the tapeworm egg from dog f	eces.	
(c) the tapeworm cysticercus from	n raw beef.	
(d) the tapeworm procercoid stag	e in a freshwater copepod.	
7. Which of the following para	sites can cause deficiency in vitamin B12	
(a) Ascaris lumbercoides	(b) Loa Loa	
(c) Diphyllobothrium latum	(d) Schistosoma haematobium	
8. Cercariae of Schistosoma an	d Fasciola are different in the following except	
(a) Tail	(b) Penetrating glands	

(d) Alimentary canal







Assiut University
Faculty of Science
Department of Zoology

Final Exam of Principles of Embryology (Z 334) for Chemistry-Zoology & Zoology students June, 1st 2025 Time: 2 hours Total marks: 50

Answer the following questions using labeled drawings when it is possible:

- 1- A) Draw and give labels for different parts of: (a) sperm (b) chick egg. (4 marks)
 - B) Compare between mesodermal somite in *Amphioxus* and toad. Use labeled drawings (6 marks)
- 2- A) State true or false: (5 marks)
 - i- Chordamesoderm is located at the floor of archenteron.
 - ii- Proximal centriole functions for the union of male and female nuclei.
 - iii- Fertilization cone helps to prevent entry of new sperms into the ovum.
 - iv- The value of pH is important factor during fertilization.
 - v- Type of cleavage in chick embryo is discoidal meroblastic one.
 - B) Choose the right answer: (5 marks)
- i- In crocodiles, yolk is synthesized in
- a) oocyte b) liver of mother
- c) fat bodies
- d) a and b
- ii- The surface of human oocyte is covered by an area called
 - a) corona radiate b) zona radiate
- c) zona pellucida
- d) vitelline membrane

- iii- An example of oviparous animals is
 - a) lion
- b) pig
- c) duck
- d) human

- iv- Cleavage type in the amphioxus is
 - a) equal holoblastic
- b) unequal holoblastic
- c) meroblastic
- d) superficial
- v- If nondisjunction occurs in the second meiosis, trisomy probable percentage is
 - a) 100%
- b) 75%
- c) 50%
- d) 25%

- 3- A) Compare between ovum and sperm. (5 marks)
 - B) Account the factors that control successful external fertilization. (5 marks)
- 4- What are the different types and functions of placenta? (10 marks)
- 5 Write on the advantages and disadvantages of testosterone. (10 marks)

End of questions......Best of Luck

Dr. Reda A. Ali
Prof. Experimental Embryology

34- Which of the following represents RNA nucleotide A) dATP B) dUTP C) TTP D) none of the mentioned	
35- The complementary nitrogenous bases in DNA double strands are held bybond A) Phosphodiester B) hydrogen C) ester D) nitrogen	
36- The hair pin secondary structure of nucleic acids is known as A) Bulge loop B) multibranched junction C) stem loop D) internal loop	
37- How many writhing found in a plasmid which has L= (10) and T= (11)	
A) (0) B) (-1) C) (1) D) (-11)	
38- The primase makes a primer which hasin 5' end.	
A) Monophosphate B) diphosphate C) triphosphate D) none of the mentioned	
39- Eukaryotic primase is intrinsic to	
A) Pol ϵ . B) Pol δ C) Pol β D) Pol α	
40- Telomeres form a T-loop with some proteins to protect itself fromactivity.	
A) endonuclease B) exonuclease C) polymerase D) telomerase	
Q2: Choose (T) for the correct statement and (F) for the false one on the provided	1
bubble sheet. (10 marks, one mark for each)	
41- Cyclins and CDKs are external regulators that speed up or slow down the cell cycle. 42- The microtubules play a role in cell differentiation and determination of polarity.	
43- The size of ribosomes is measured in "Angstrom units".	
44- Mitochondria has the ability for self-replication. 45- The cells stop dividing after they came into contact with other cells.	
46- B form of DNA is left-handed helix.	
47- Okazaki fragments length in Eukaryotes are shorter than that in prokaryotes.	
48- The folded wrapped DNA forming euchromatin (active genes).	
49- During DNA replication, primers are made by DNA primase.	
50- The newly synthetized DNA strand always extends in 5'-to-3' direction.	
ACTION OF THE PROPERTY OF THE	

End of Questions, With Our Best Wishes!
Prof. Dr. Abo Bakr M. El-Tayeb
Dr. Ahmad U. M. Mahmoud

21- In prokaryotes, the RNA primer is replaced by DNA one by enzyme.
A) Polymerase III B) polymerase II C) Polymerase I D) primase
22- Most human somatic cells lack telomerase activity, so they have
A) Telomere shortening B) Senescence C) end-to-end chromosome fusion D) all answers are correct
A) Tolomole shortening b) benescence b) one to the ontoloosing tasten.
23- The name of the RNA nucleoside containing Cytosine base
A) Cytosine B) Cytidine C) Cytidine -5' monophosphate D) deoxycytidine
24- Eukaryotic topoisomerase 1b is characterized by
A) Binding to 3' end and requires ATP B) binding to 5' end and requires ATP
C) binding to 5' ends and does not require ATP D) binding to 3' end and does not require ATP
18. The actinose makes a minute which has in 5' and
25- During replication, DNA strands are unwound by enzymes called
A) Topoisomerase I B) Topoisomerase II C) helicase D) RNA polymerase II
26-Telomerase is a complex enzyme, where binds to the sequences in the single strand form
A) TRF1 B) TRF2 C) POT1 D) TPP1
A) III b)
27- In DNA replication of prokaryotes, the enzyme DNA Is a proofreading enzyme
A) Polymerase I B) Polymerase II C) Polymerase III D) primase
28- Primase is belonging to
A) DNA polymerase B) RNA polymerases C) helicases D) exonucleases
29- DNA replication begin atrich regions
A) AC B) GC C) AT D) AG
30is the DNA polymerase responsible for mitochondrial DNA synthesis
A) Pol ϵ . B) Pol δ C) Pol γ D) Pol α
Alteres. By total by total
31- The nitrogenous bas Adenine belongs to
A) Purines B) pyrimidines C) double rings nitrogenous bases D) A and C
43- During DVA, replication, primers are made by DVA primase.
32- In DNA, nitrogen base is linked tosugar
A) C 1' ribose B) C 3' deoxyribose C) C 1'deoxyribose D) C 5' deoxyribose
33- The RNA nucleotide containing Adenine base is known as
A) adenosine B) deoxyadenosine
C) deoxyadenosine 5'-monophosphate D) adenosine 5'-monophosphate

Page 3 of 4

9- What is the primary cause of uncontrolled cell growth in cancer?	
B) Defects in cell cycle regulation	
C) Overproduction of growth factors D) Lack of cellular organienes	
10- Glycocalyx in the plasma membrane is primarily composed of (). D) Nucleic acids	
A) Proteins B) Lipids C) Caroonydrates	
11- () is the division of the cytoplasm that completes the M phase of the cell cycle.	
A) Meiosis B) Mitosis C) Cytokinesis	
12- Nuclear sap is a colloidal clear solution containing enzymes involved in (). D) Lipid syr	thesis
A) Glycolysis B) DNA and RNA synthesis C) Protein degradation D) Lipid syr	itnesis
13- Which process is NOT associated with the Golgi apparatus? D) DNA re	liantion
A) Protein modification B) Lipid metabolism C) Secretion of proteins and ripids	pincation
14- The accumulation of residual bodies in long-lived cells is known as (). D) Lysosomes	
A) Autophagosomes B) Lipotuscin C) Ribosomes	
15- Which of the following substances requires a transport protein to pass through the	plasma
membrane? A) CO_2 B) Urea C) Na^{\dagger} D) H_2O	
16-What is the organization of microtubules within centrioles? A) Singlets B) Doublets C) Triplets D) Quadruplets	
17- What is the term for the movement of phospholipids within the bilayer where they move	sideways
along the membrane? A) Lateral diffusion B) Flip-flop C) Flexion D) Rotation	tul-a
18- Which of the following is a characteristic specific to prokaryotic organisms and not	found in
eukaryotic organisms? A) Presence of membrane-bound organelles B) Cell division by binary fission D) Presence in linear DNA	
A) Presence of memorane-bound organicities D) Possessing linear DNA D) Possessing linear DNA	
19- Which cells in the human body do not divide after development?	
A) Skin Cells B) Bone marrow cells C) Digestive tract cens B) Note to sens	
20- In the structure of the plasma membrane, the head of a phospholipid linked to it	s tail by
(). A) Carbohydrate group B) Phosphate (PO ₄) group C) Protein group D) Fatty acid group	
A) Carbonydrate group B) I hospitate (2 - 1) 8	

.



Zoology & Entomology Department Final-term exam, 2nd semester, 2024/2025

Cell and Molecular Biology (Z 318)

Time limit: 2 hours

Date: Saturday, May 24th, 2025

Total score: 50 marks

The test consists of 4 pages



Q1: Choose the correct answer from "A, B, C, or D" on the provided bubble sheet.

(40 marks, one mark for each)	
1- The cell death process caused by injury, toxins, o	or nutritional deprivation is called ().
A) Swelling B) Apoptosis C) Digestion	D) Necrosis
2- What type of granules are Zymogen granules an	example of?
A) Secretory granules B) Mitochondrial granules	C) Peroxisomal granules D) Lysosomal granules
3- The purpose of the S phase in the cell cycle is (15- Which of the following substant.(
A) Chromosome alignment B) DNA replication	C) Cell division D) Chromosome condensation
4- Which type of nucleus contains a large amount of	of nuclear sap, as seen in hepatocytes?
A) Open face nucleus B) Closed face nucleus	C) Condensed nucleus D) Expanded nucleus
5- Which type of intermediate filaments are abunda	ant in mesenchymal cells?
A) Cytokeratin B) Desmin	C) Neurofilaments D) Vimentin
6- In the cell cycle, sister chromatids undergo sep	paration and move towards opposite poles during
A) Prophase B) Metaphase	C) Anaphase D) Telophase
7- () is a structure in mitochondria	a that contains enzymes involved in oxidative
phosphorylation and electron transport systems.	Figure - State of the State of
A) Outer membrane B) Intermembrane space	C) Matrix D) Cristae
8- In liver cells, the smooth endoplasmic reticulum	plays a crucial role in ().
A) Protein folding B) Photosynthesis C) Detox	xification processes D) Chromosome segregation

d. Describe characters of positive feedback regulation of hormone secretion and give an example.
e. Explain how insulin decrease blood glucose level?
f. Explain how cortisol stimulates gluconeogenesis.
T .

Good luck

24: Answer only FOUR questions from the following (10 marks):
a. Functions of testosterone.
b. Factors inhibit growth hormone secretion.
c. Site of secretion and functions of estrogen.
**

2. The adrenal medulla is stimulated by the
a. Blood concentration of calcium ions b. Posterior pituitary gland
c. Hypothalamus d. Preganglionic sympathetic fibers of the nervous system
3. Sam stands over eight feet tall, and exhibits gigantism. He must experienceof growth hormone.
a. Hypersecretion b. Hyposecretion c. No secretion d. Irregular intervals of secretion
4. For women, what is the role of luteinizing hormone?
a. Produce a fatty acid called lutein b.Trigger ovulation of egg from ovary
c. Stimulate testosterone production d. Inhibit the menstrual cycle
5. Calcitonin is made by
a. Parafollicular cells b. Follicle cells c. Calcitonal cells d. Bone cells
6. Corticosteroids are steroid hormones produced by the adrenal cortex. Which is not a corticosteroid?
a. Vitaminocorticoids b. Mineralocorticoids c. Glucocorticoids d. Sex hormones
7. Ahmed's blood pressure drops dramatically. Which enzyme will be produced by her kidneys, in order to release aldosterone?
a. Atrial natriuretic peptide b. Angiotensin II c. Renin d. Cortisone
8. During pregnancy, the placenta takes on the role of producing estrogen and progesterone. The placenta is assuming the role of which organ?
a. Testes b. Ovaries c. Fallopian tubes d. None of the above
9. The body's major metabolic hormone is released from the:
a. Pituitary b. Thyroid c. Thymus d. Hypothalamus
10. Being lipid soluble, steroids can do all the following EXCEPT :
a. catalyzes cyclic AMP b. diffuse through the plasma membranes of target cells c. enter the nucleus d. activate genes to transcribe mRNA for protein synthesis

Part 2: Endocrinology (25 marks)

Q1: Complete the following sentences (5 marks):

- 1. Hormones travel through the
- 2. The hypothalamus secretes hormones that activate.....
- 3. Oxytocin and antidiuretic hormone are both made by the
- 4. Calcitonin willblood calcium levels, while parathyroid hormone will blood calcium levels.
- 5. The adrenal medulla secretes, including, and
- 6. One of the two hormones made by the pituitary that help regulate reproductive cells is luteinizing hormone. The other hormone is
- 7. Target cells for hypothalamic releasing hormones are in the

Q2: Mark True (T) or False (F) (5 marks)

- 1. While the nervous system functions very slowly, the endocrine system works very quickly.
- 2. Follicle-stimulating hormone plays an identical role in males and females.
- 3. Most of the endocrine system is regulated by positive feedback mechanisms.
- 4. The alpha cells of the pancreas secrete glucagon which targets the kidney.
- 5. The growth hormone produced by the pituitary gland is known as somatotropin.
- 6. The two regulatory systems of the body are the endocrine system and the circulatory system.
- 7. The release of cortisol is stimulated by ACTH.
- 8. Androgens are produced by the hypothalamus.
- 9. TRH is a type of releasing hormone secreted by the hypothalamus.
- 10. Oxytocin is released by neurosecretory cells extending from the hypothalamus.

Q3: Choose the correct answer (5 marks)

- 1. The anterior pituitary gland secretes hormones that activate different glands. Which gland is not activated by the anterior pituitary gland?
- a. Thyroid
- b. Gonad
- c. Adrenal cortex
- d. Parathyroid







نسم علم الحيوان

•	~	. 1		1			
3-	Compare	the	somatic	and	autonomic	nervous	system.

4- Write on the resting membrane potential of the neuronal soma.

5- Write the neurotransmitter serotonin.

Good luck
Dr. Hossam El-Din M Omar, Prof. of Physiology

1







سم علم الحيوان

20-Monosodium glutamate, added to many foods to enhance
21- Sound is transmitted by waves which are characterized by
22- Conduction hearing loss is caused by
23- Absence of smell is known as
24- The neuron of retina is
25- Visual area is found in the of the brain. a- occipital lobe b-frontal lobe c-parietal lobe d-temporal lobe
26- Sound frequencies which heard by humans are called
II- Answer on FOUR ONLY of the following questions (12 Marks)

2- Compare between the two stages of brain activity.

Write on the components of ascending tracts









9- Most complex part of the brain with the most evolutionary history is...... d- Cerebellum c- Pons a- Medulla oblongata b- Cerebral Cortex 10- Functional center for emotional memory includes the following parts EXCEPT one is named..... c-cerebral cortex b-hypothalamus a-thalamus 11-CSF which is found in brain ventricles and central canal of the spinal cord is formed c- ependymal cells a- choroid plexus b- arachnoid villi 12-Trauma of can result in double vision. a-trochlear nerve b-optic nerve c- oculomotor nerve d- vagus nerve 13- The nerve that formed by union of a cranial root and a spinal root is..... d-trigeminal nerve a- accessory nerve b- Facial nerve c-vagus nerve 14-Dorsal root ganglion is a collection of.....neurons forming dorsal root. c-multipolar d- All are True b-bipolar a- unipolar 15- Upper motor neuron (UMN) originates in nuclei deep in d-medulla oblongata. d-pons b- cerebellum a- cerebrum 16-Lateral horns located ONLY in..... region which contains visceral motor cell bodies. b-lumbar c-thoracic and lumbar d- Sacral a- thoracic 17- The mediators of pain receptors which enhance the sensitivity of pain endings includes a- bradykinin b- histamine c- proteolytic enzymes d-All are True. 18- The brain perceives main tastes d-four c-three b-two 19-contain microvilli, appear to secrete substances into lumen of taste bud. a- supporting cell b-sensory cell c- basal cell d-All are True







Final Exam: Physiology 2 (310Z) Time: Two Hours Second Semester 2024/2025 **Zoology Students** Total Marks: 50 Date of Exam: 23/5/2025 Part One: Nervous coordination and sensory organs 1-Choose the correct answer: (13 marks) 1-Tyrosine is produced in the from phenylalanine through the action of phenylalanine hydroxylase. d-blood a-liver b-kidney c-brain 2-The cholinergic agonists that excited autonomic effector cells that innervated by 3-Almost all the synapses used for signal transmission in the CNS are b-electrical synapses b- Both a& b a- chemical synapses 4- The function of sodium-potassium pump includes...... a- provide energy for the co-transport of molecules e.g. glucose. b- regulate the basal metabolic rate of the body by thyroid gland. c- produce electrical impulses. d- All are True. 5- The non-neural cells that can help repair damaged peripheral nerves is...... a- Schwann cell b- oligodendrocyte c-ependymal cell d-microglial cell 6-In Phylumthe NS is consisting of nervous ring around the mouth and get out from hem radial nerves. c-Annelida d- Arthropoda a- Echinodermata b-Mollusca 7- The part of brain which sorts and relays information from all senses to higher level brain centers is..... b-thalamus c-hypothalamus d- cerebellum a- epithalamus 8-Tyrosine is converted in rate-limiting step into dopamine, the main

neurotransmitter in that pathway that's involved in Parkinson's disease. a- basal ganglia cells b- corpus callosum c- basal nuclei d- brain stem